



Appendix 3.2b – Priority habitats and associated rare, threatened and significant species of the Strategy area



Introduction

The Kent and Medway Local Nature Recovery Strategy development process requires a focussed list of priority species, identified as the species in most urgent need amongst other considerations. However, it is still important to take account of all the county's rare, threatened and significant species in any habitat management, restoration, extension or creation work.

The Strategy therefore identifies overarching approaches that ensure this wider suite of species, whilst not the focus of bespoke action, still benefits from action taken with the Strategy area.

1. During the design of works to deliver a Strategy potential measure, the habitat assemblages of the species longlist (see Appendix 3.2b) should be consulted for the relevant habitat and all action should consider and take account of the species that depend upon it, recognising and supporting the interdependencies that exist.

Where works are taking place in locations where a long-list species for Kent and Medway is known to occur, the habitats, structures, host species or other features supporting the species concerned should be maintained in extent and quality, and, where possible, should be locally extended, improved and connected.

Where works are taking place in locations where a long-list species for Kent and Medway was previously known to occur and/or might naturally establish populations, planning and delivery of land-use planning, nature conservation activities, or other land-management work should take the needs of the relevant species into account. This should include avoiding action which would decrease the ecological connectivity between potential sites and those sites already supporting the relevant Kent and Medway Local Nature Recovery Strategy long-list species.

2. During the design of works to deliver a Strategy potential measure, and where those works occur on or near the borders of the Strategy area, the neighbouring Local Nature Recovery Strategy's priority species list should be consulted to ensure that action in the Kent and Medway Strategy area does not undermine efforts for that species in the neighbouring area. Opportunities to facilitate the spread of a local population within the works should be identified, particularly where that species is currently absent from the county.

3. Action design should also recognise the contribution that species may make to the habitat and utilises, where appropriate, species within its management to help deliver more dynamic, natural, intact and climate resilient ecosystems.

This appendix lists all the county's rare, threatened and significant species identified by the priority species selection process against the Strategy's priority habitats and consequently provides the broader species lists to be considered in delivering the habitat-based potential measures.

Click on the links below to view the rare, threatened and significant species of the Kent and Medway Strategy area associated with each Local Nature Recovery Strategy priority habitat

Grassland habitats

[Chalk grassland Priority GL1](#)

[Coastal floodplain and grazing marsh Priority GL2](#)

[Lowland meadows Priority GL3](#)

[Acid grassland and heath Priority GL4](#)

[Arable field margins Priority GL5](#)

Successional habitats

[Open mosaic habitat on previously developed land \(brownfield\) Priority SH1](#)

[Scrub Priority SH2](#)

Woodland, Trees and Hedgerows

[Woodland Priorities WTH1, WTH2, WTH3 and WTH4](#)

[Ancient woodland Priority WTH5](#)

[Wet woodland Priority WTH6](#)

[Gill Woodland Priority WTH7](#)

[Hedgerow Priority WTH8](#)

[Traditional orchards Priority WTH9](#)

Freshwater habitats

[Rivers and streams Priorities FW1, FW2, FW3, FW4 and FW5](#)

[Ponds and lakes Priority FW6](#)

[Lowland mire sites \(fen and valley mires\) Priority FW7](#)

[Reedbeds Priority FW8](#)

Urban

[Urban habitats Priorities URB1, URB2 and URB3](#)

Coastal habitats

[Estuary and open coast Priority CL1](#)

[Saltmarsh and mudflats Priority CL2](#)

[Seagrass Priority CL3](#)

[Native Oyster and Blue Mussel reefs Priority CL5](#)

[Saline lagoons Priority CL6](#)

[Vegetated shingle Priority CL7](#)

[Sand dunes Priority CL8](#)

Grassland habitats

Chalk grassland (Priority GL1)

Bees, Wasps and Ants	Black-headed Mason Wasp	<i>Odynerus melanocephalus</i>
	Brown-banded Carder Bee	<i>Bombus humilis</i>
	Five-banded Weevil-wasp	<i>Cerceris quinquefasciata</i>
	Large Garden Bumblebee	<i>Bombus ruderalis</i>
	Maidstone Mining Bee	<i>Andrena polita</i>
	Moss Carder Bee	<i>Bombus muscorum</i>
	Red-shanked Carder Bee	<i>Bombus ruderalis</i>
	Short Haired Bumble Bee	<i>Bombus subterraneus</i>
	Shrill Carder Bee	<i>Bombus sylvarum</i>
Beetles	Black Oil-beetle	<i>Meloe proscarabaeus</i>
	Ground beetle	<i>Harpalus dimidiatus</i>
	Ground beetle	<i>Ophonus parallelus</i>
	Ground beetle	<i>Ophonus sabulicola</i>
	Ground beetle	<i>Scybalicus oblongiusculus</i>
	Hazel Pot Beetle	<i>Cryptocephalus coryli</i>
	Leaf beetle	<i>Longitarsus nigrofasciatus</i>
	Leaf beetle	<i>Ochrosis ventralis</i>
	Leaf beetle	<i>Podagrica fuscipes</i>
	Necklace Ground Beetle	<i>Carabus monilis</i>
	Rugged Oil-beetle	<i>Meloe rugosus</i>
	Scarab beetle	<i>Euheptaulacus sus</i>
	Scarab beetle	<i>Geotrupes mutator</i>
	Scarab beetle	<i>Labarrus lividus</i>
	Scarab beetle	<i>Plagiogonus arenarius</i>
	Set-aside Downy-back ground beetle	<i>Ophonus laticollis</i>
	Six-spotted Pot Beetle	<i>Cryptocephalus sexpunctatus</i>
	Violet Oil-beetle	<i>Meloe violaceus</i>
	Weevil	<i>Leiosoma troglodytes</i>
	Weevil	<i>Liparus germanus</i>
	Weevil	<i>Mitoplinthus caliginosus</i>
	Weevil	<i>Omphalapion beuthini</i>
	Weevil	<i>Stenopterapion intermedium</i>
	Wood boring beetle	<i>Caenocara bovistae</i>
Birds	Red-billed Chough	<i>Pyrrhocorax pyrrhocorax</i> [br]
Butterflies	Adonis Blue	<i>Polyommatus bellargus</i>
	Chalk Hill Blue	<i>Polyommatus coridon</i>
	Dark Green Fritillary	<i>Speyeria aglaja</i>
	Dingy Skipper	<i>Erynnis tages</i>
	Duke of Burgundy	<i>Hamearis lucina</i>

	Grayling	<i>Hipparchia semele</i>
	Grizzled Skipper	<i>Pyrgus malvae</i>
	Silver-spotted Skipper	<i>Hesperia comma</i>
	Small Blue	<i>Cupido minimus</i>
	Small Heath	<i>Coenonympha pamphilus</i>
	Wall	<i>Lasiommata megera</i>
Flies	Hornet Robberfly	<i>Asilus crabroniformis</i>
		<i>Blaesoxipha erythrura</i>
		<i>Blaesoxipha rossica</i>
		<i>Chrysosomopsis aurata</i>
		<i>Dorycera graminum</i>
		<i>Empis impennis</i>
		<i>Gonia capitata</i>
		<i>Gymnosoma nitens</i>
		<i>Labigastera forcipata</i>
Fungi		<i>Paragus albifrons</i>
	Devil's bolete	<i>Rubroboletus satanas</i>
		<i>Amanita lividopallescens</i>
		<i>Buglossoporus quercinus</i>
		<i>Clavaria flavipes</i>
		<i>Clavaria incarnata</i>
		<i>Clavaria zollingeri</i>
		<i>Coprinopsis stangliana</i>
		<i>Cortinarius alcalinophilus</i>
		<i>Cuphophyllus colemannianus</i>
		<i>Entoloma bloxamii</i>
		<i>Geastrum quadrifidum</i>
		<i>Hodophilus micaceus</i>
		<i>Microglossum olivaceum</i>
		<i>Mycena latifolia</i>
		<i>Porpolomopsis calyptriformis</i>
		<i>Ramariopsis pulchella</i>
Grasshoppers, crickets and allies	Mottled Grasshopper	<i>Myrmeleotettix maculatus</i>
	Rufous Grasshopper	<i>Gomphocerippus rufus</i>
	Stripe-winged Grasshopper	<i>Stenobothrus lineatus</i>
	Wart-biter	<i>Decticus verrucivorus</i>
Lichens		<i>Caloplaca atroflava</i>
Mammals	Brown Hare	<i>Lepus europaeus</i>
	Brown Long-eared Bat	<i>Plecotus auritus</i>
	Greater Horseshoe Bat	<i>Rhinolophus ferrumequinum</i>
	Grey Long-eared Bat	<i>Plecotus austriacus</i>
	Harvest Mouse	<i>Micromys minutus</i>
	Leisler's Bat	<i>Nyctalus leisleri</i>
	Mouse-eared Bat	<i>Myotis myotis</i>
	Natterer's Bat	<i>Myotis nattereri</i>

	Noctule Bat	<i>Nyctalus noctula</i>
	Serotine	<i>Eptesicus serotinus</i>
Millipedes		<i>Propolydesmus testaceus</i>
Molluscs	Carthusian Snail	<i>Monacha cartusiana</i>
Mosses and liverworts	Bendy Ditrichum	<i>Ditrichum flexicaule</i>
	Chalk Threadwort	<i>Cephaloziella baumgartneri</i>
	Crisped Forkmoss	<i>Dicranum bonjeanii</i>
	Curly Beardless-moss	<i>Weissia condensa</i>
	Delicate Tamarisk-moss	<i>Thuidium assimile</i>
	Fir Tamarisk-moss	<i>Abietinella abietina</i> var. <i>hystricosa</i>
	Montagne's Cylinder-moss	<i>Entodon connicinus</i>
	Prince-of-Wales Feathermoss	<i>Neckera smithii</i>
	Side-fruited Crisp-moss	<i>Tortella squarrosa</i>
	Starke's Pottia	<i>Microbryum starckeanum</i>
	Sterile Beardless-moss	<i>Weissia sterilis</i>
Moths	Autumnal Rustic	<i>Eugnorisma glareosa</i>
	Barred Tooth-striped	<i>Trichopteryx polycommata</i>
	Black-veined Moth	<i>Siona lineata</i>
	Bright Wave	<i>Idaea ochrata</i>
	Broad-barred White	<i>Hecatera bicolorata</i>
	Burnet Rose Tortrix	<i>Acleris permutana</i>
	Catchfly Case-bearer	<i>Coleophora galbulipennella</i>
	Chalk Carpet	<i>Scotopteryx bipunctaria</i>
	Deep-brown Dart	<i>Aporophyla lutulenta</i>
	Dew Moth	<i>Setina irrorella</i>
	Dusky Brocade	<i>Apamea remissa</i>
	Dwarf Thistle Seedhead Moth	<i>Metzneria neuropterella</i>
	Fiery Clearwing	<i>Pyropteron chrysidiformes</i>
	Flounced Chestnut	<i>Agrochola helvola</i>
	Forester	<i>Adscita statices</i>
	Four-spotted	<i>Tyta luctuosa</i>
	Kent Straw	<i>Cochylimorpha alternana</i>
	Knapweed Case-bearer	<i>Coleophora conspicuella</i>
	Large Buff Case-bearer	<i>Coleophora ochrea</i>
	Large Nutmeg	<i>Apamea anceps</i>
	Latticed Heath	<i>Chiasmia clathrata</i>
	Liquorice Piercer	<i>Grapholita pallifrontana</i>
	Milkwort Beauty	<i>Hypercallia citrinalis</i>
	Red-headed Bee Moth	<i>Cephimallota crassiflavella</i>
	Rest Harrow	<i>Aplasta ononaria</i>
	Scabious Leaf-miner	<i>Phyllonorycter scabiosella</i>
	Scarce Forester	<i>Jordanita globulariae</i>
	Silver Barred	<i>Deltote bankiana</i>
	Small Emerald	<i>Hemistola chrysoprasaria</i>

	Straw Belle	<i>Aspitates gilvaria</i>
	Sussex Emerald	<i>Thalera fimbrialis</i>
	White Spot	<i>Hadena albimacula</i>
	White-line Dart	<i>Euxoa tritici</i>
Reptiles	Adder	<i>Vipera berus</i>
	Common Lizard	<i>Zootoca vivipara</i>
	Grass Snake	<i>Natrix helvetica</i>
	Slow-worm	<i>Anguis fragilis</i>
Spiders	Small Mesh-weaver	<i>Dictyna pusilla</i>
	Southern Crablet	<i>Ozyptila clavigera</i>
	Thin Weblet	<i>Agyneta mollis</i>
		<i>Bassaniodes robustus</i>
		<i>Gonatium paradoxum</i>
		<i>Ozyptila pullata</i>
		<i>Phaeocedus braccatus</i>
		<i>Talavera thorelli</i>
		<i>Trichoncus saxicola</i>
True bugs	Chalk Planthopper	<i>Eurysanoides douglasi</i>
		<i>Hallodapus montandoni</i>
		<i>Ischnodemus quadratus</i>
Vascular plants	Autumn Gentian	<i>Gentianella amarella</i>
	Autumn Lady's-tresses	<i>Spiranthes spiralis</i>
	Basil Thyme	<i>Clinopodium acinos</i>
	Bedstraw Broomrape	<i>Orobanche caryophyllacea</i>
	Betony	<i>Stachys officinalis</i>
	Bladder Campion	<i>Silene vulgaris</i>
	Blue Fleabane	<i>Erigeron acris</i>
	Burnet Rose	<i>Rosa spinosissima</i>
	Burnet-saxifrage	<i>Pimpinella saxifraga</i>
	Burnt Orchid	<i>Neotinea ustulata</i>
	Carlina Thistle	<i>Carlina vulgaris</i>
	Chalk Eyebright	<i>Euphrasia pseudokernerii</i>
	Chalk Milkwort	<i>Polygala calcarea</i>
	Common Cow-Wheat	<i>Melampyrum pratense</i>
	Common Cudweed	<i>Filago germanica</i>
	Common Gromwell	<i>Lithospermum officinale</i>
	Common Milkwort	<i>Polygala vulgaris</i>
	Common Restharrow	<i>Ononis repens</i>
	Common Rock-rose	<i>Helianthemum nummularium</i>
	Common Twayblade	<i>Neottia ovata</i>
	Common Valerian	<i>Valeriana officinalis</i>
	Cowslip	<i>Primula veris</i>
	Crested Hair-grass	<i>Koeleria macrantha</i>
	Crosswort	<i>Cruciata laevipes</i>

	Dark Mullein	<i>Verbascum nigrum</i>
	Dodder	<i>Cuscuta epithymum</i>
	Dropwort	<i>Filipendula vulgaris</i>
	Dwarf Milkwort	<i>Polygala amarella</i>
	Dwarf Thistle	<i>Cirsium acaule</i>
	Dyer's Greenweed	<i>Genista tinctoria</i>
	Early Gentian	<i>Gentianella anglica</i>
	Early Spider-orchid	<i>Ophrys sphegodes</i>
	Early-purple Orchid	<i>Orchis mascula</i>
	English Eyebright	<i>Euphrasia officinalis subsp. anglica</i>
	Eyebright	<i>Euphrasia nemorosa</i>
	Field Eryngo	<i>Eryngium campestre</i>
	Field Fleawort	<i>Tephrosia integrifolia</i>
	Field Garlic	<i>Allium oleraceum</i>
	Field Mouse-ear	<i>Cerastium arvense</i>
	Field Pepperwort	<i>Lepidium campestre</i>
	Field Scabious	<i>Knautia arvensis</i>
	Fly Orchid	<i>Ophrys insectifera</i>
	Fragrant Orchid	<i>Gymnadenia conopsea</i>
	Greater Knapweed	<i>Centaurea scabiosa</i>
	Green-winged Orchid	<i>Anacamptis morio</i>
	Ground-pine	<i>Ajuga chamaepitys</i>
	Hairy Rock-cress	<i>Arabis hirsuta</i>
	Hairy Violet	<i>Viola hirta</i>
	Harebell	<i>Campanula rotundifolia</i>
	Heath Speedwell	<i>Veronica officinalis</i>
	Heath-grass	<i>Danthonia decumbens</i>
	Hieracium agg.	<i>Hieracium agg.</i>
	Hoary Plantain	<i>Plantago media</i>
	Horseshoe Vetch	<i>Hippocrepis comosa</i>
	Hound's-tongue	<i>Cynoglossum officinale</i>
	Juniper	<i>Juniperus communis</i>
	Kidney Vetch	<i>Anthyllis vulneraria</i>
	Lady Orchid	<i>Orchis purpurea</i>
	Lady's Bedstraw	<i>Galium verum</i>
	Large Thyme	<i>Thymus pulegioides</i>
	Late Spider-orchid	<i>Ophrys fuciflora</i>
	Lesser Calamint	<i>Clinopodium calamintha</i>
	Lesser Centaury	<i>Centaureum pulchellum</i>
	Lizard Orchid	<i>Himantoglossum hircinum</i>
	Long-stalked Crane's-bill	<i>Geranium columbinum</i>
	Maiden Pink	<i>Dianthus deltoides</i>
	Man Orchid	<i>Orchis anthropophora</i>
	Meadow Clary	<i>Salvia pratensis</i>

Meadow Oat-grass	<i>Helictotrichon pratense</i>
Monkey Orchid	<i>Orchis simia</i>
Musk Orchid	<i>Herminium monorchis</i>
Musk Thistle	<i>Carduus nutans</i>
Nottingham Catchfly	<i>Silene nutans</i>
Pale Flax	<i>Linum bienne</i>
Pale St John's-wort	<i>Hypericum montanum</i>
Ploughman's-spikenard	<i>Inula conyzae</i>
Pyramidal Orchid	<i>Anacamptis pyramidalis</i>
Quaking-grass	<i>Briza media</i>
Red Star-thistle	<i>Centaurea calcitrapa</i>
Roffey's Hawkweed	<i>Hieracium pollichiae</i>
Rough Hawkbit	<i>Leontodon hispidus</i>
Round-leaved Wintergreen	<i>Pyrola rotundifolia</i> ssp. <i>maritima</i>
Sainfoin	<i>Onobrychis viciifolia</i>
Salad Burnet	<i>Poterium sanguisorba</i>
Shaggy Mouse-ear-hawkweed	<i>Pilosella peleteriana</i>
Sheep's-fescue	<i>Festuca ovina</i>
Slender bedstraw	<i>Galium pumilum</i>
Small Scabious	<i>Scabiosa columbaria</i>
Small-flowered Buttercup	<i>Ranunculus parviflorus</i>
Small-flowered Sweet-briar	<i>Rosa micrantha</i>
Small-leaved Sweet-briar	<i>Rosa agrestis</i>
Spring-sedge	<i>Carex caryophyllea</i>
Squinancywort	<i>Asperula cynanchica</i>
Sweet-briar	<i>Rosa rubiginosa</i>
Thymus polytrichus subsp. britannicus	<i>Thymus polytrichus</i> subsp. <i>britannicus</i>
Upright Brome	<i>Bromopsis erecta</i>
White Helleborine	<i>Cephalanthera damasonium</i>
White Mullein	<i>Verbascum lychnitis</i>
Wild Candytuft	<i>Iberis amara</i>
Wild Clary	<i>Salvia verbenaca</i>
Wild Liquorice	<i>Astragalus glycyphyllos</i>
Yellow Vetchling	<i>Lathyrus aphaca</i>
Yellow-rattle	<i>Rhinanthus minor</i>
Yellow-wort	<i>Blackstonia perfoliata</i>

Coastal & floodplain grazing marsh (Priority GL2)

Annelid	Medicinal Leach	<i>Hirudo medicinalis</i>
Bees, Wasps and Ants	Brown-banded Carder Bee	<i>Bombus humilis</i>
	Large Garden Bumblebee	<i>Bombus ruderalis</i>
	Moss Carder Bee	<i>Bombus muscorum</i>
	Red-shanked Carder Bee	<i>Bombus ruderalis</i>
	Short Haired Bumble Bee	<i>Bombus subterraneus</i>
	Shrill Carder Bee	<i>Bombus sylvarum</i>
Beetles	Black Oil-beetle	<i>Meloe proscarabaeus</i>
	Crucifix Ground Beetle	<i>Panagaeus cruxmajor</i>
	Great Silver Water Beetle	<i>Hydrophilus piceus</i>
	Ground beetle	<i>Amara strenua</i>
	Ground beetle	<i>Anisodactylus poeciloides</i>
	Ground beetle	<i>Badister collaris</i>
	Ground beetle	<i>Ophonus puncticollis</i>
	Ground beetle	<i>Polistichus connexus</i>
	Jewel Clown	<i>Saprinus virescens</i>
	Kentish Clown	<i>Hister quadrimaculatus</i>
	Leaf beetle	<i>Macrolea mutica</i>
	Leaf beetle	<i>Podagricus fuscipes</i>
	Mellet's Downy-back ground beetle	<i>Ophonus melletii</i>
	Pride of Kent Rove Beetle	<i>Emus hirtus</i>
	Rove beetle	<i>Aploderus caelatus</i>
	Rove beetle	<i>Philonthus punctus</i>
	Scarab beetle	<i>Bodilopsis sordida</i>
	Soft-winged Flower beetle	<i>Clanoptilus marginellus</i>
	Sussex Diving Beetle	<i>Laccophilus poecilus</i>
	Water beetle	<i>Aulacochthebius exaratus</i>
	Water beetle	<i>Berosus luridus</i>
	Water beetle	<i>Dryops auriculatus</i>
	Water beetle	<i>Dytiscus dimidiatus</i>
	Water beetle	<i>Enochrus nigratus</i>
	Water beetle	<i>Graphoderus cinereus</i>
	Water beetle	<i>Halipus variegatus</i>
	Water beetle	<i>Helochares obscurus</i>
	Water beetle	<i>Hydrochus elongatus</i>
	Water beetle	<i>Hydrochus ignicollis</i>
	Water beetle	<i>Limnoxenus niger</i>
	Weevil	<i>Bagous longitarsis</i>
	Weevil	<i>Bagous subcarinatus</i>
	Weevil	<i>Bagous tubulus</i>
Birds	Avocet	<i>Recurvirostra avosetta [br]</i>
	Black-tailed Godwit	<i>Limosa limosa [br]</i>

	Cattle Egret	<i>Bubulcus ibis [br]</i>
	Corn Bunting	<i>Emberiza calandra [br]</i>
	Crane	<i>Grus grus [br]</i>
	Curlew	<i>Numenius arquata [n-br]</i>
	Garganey	<i>Spatula querquedula [br]</i>
	Golden Plover	<i>Pluvialis apricaria [n-br]</i>
	Lapwing	<i>Vanellus vanellus [br]</i>
	Lapwing	<i>Vanellus vanellus [n-br]</i>
	Marsh Harrier	<i>Circus aeruginosus [br]</i>
	Oystercatcher	<i>Haematopus ostralegus [br]</i>
	Pintail	<i>Anas acuta [br]</i>
	Pochard	<i>Aythya ferina [br]</i>
	Redshank	<i>Tringa totanus [br]</i>
	Shelduck	<i>Tadorna tadorna [br]</i>
	Short-eared Owl	<i>Asio flammeus [br]</i>
	Shoveler	<i>Spatula clypeata {br}</i>
	Skylark	<i>Alauda leucoptera [br]</i>
	Snipe	<i>Gallinago gallinago [br]</i>
	Tundra Swan	<i>Cygnus columbianus [n-br]</i>
	Wigeon	<i>Mareca penelope [n-br]</i>
	Yellow Wagtail	<i>Motacilla flava [br]</i>
Caddisflies		<i>Ylodes reuteri</i>
Dragonflies and damselflies	Dainty Damselfly	<i>Coenagrion scitulum</i>
	Norfolk Hawker	<i>Anaciaeschna isoceles</i>
	Scarce Emerald Damselfly	<i>Lestes dryas</i>
	Variable Damselfly	<i>Coenagrion pulchellum</i>
Fish	European Eel	<i>Anguilla anguilla</i>
Flies	Striped Horsefly	<i>Hybomitra expollicata</i>
		<i>Dorycera graminum</i>
		<i>Elachiptera rufifrons</i>
		<i>Erioptera bivittata</i>
		<i>Lejops vittatus</i>
		<i>Platypalpus ingenuus</i>
		<i>Sphaerophoria loewi</i>
Fungi		<i>Puccinia bupleuri</i>
		<i>Puccinia rugulosa</i>
Grasshoppers, crickets and allies	Mole Cricket	<i>Gryllotalpa gryllotalpa</i>
Mammals	Beaver	<i>Castor fiber</i>
	Brown Hare	<i>Lepus europaeus</i>
	Eurasian Otter	<i>Lutra lutra</i>
	European Water Vole	<i>Arvicola amphibius</i>
	Harvest Mouse	<i>Micromys minutus</i>
	Noctule Bat	<i>Nyctalus noctula</i>

	Polecat	<i>Mustela putorius</i>
Moths	Horehound Long-horn	<i>Nemophora fasciella</i>
	Marsh Mallow Moth	<i>Hydraecia osseola</i>
	Tawny Speckled Pug	<i>Eupithecia icterata</i>
Vascular plants	Beaked Tasselweed	<i>Ruppia maritima</i>
	Bithynian Vetch	<i>Vicia bithynica</i>
	Bladderwort	<i>Utricularia australis</i>
	Blue Water-Speedwell	<i>Veronica anagallis-aquatica</i>
	Borrer's Saltmarsh-grass	<i>Puccinellia fasciculata</i>
	Brookweed	<i>Samolus valerandi</i>
	Bulbous Foxtail	<i>Alopecurus bulbosus</i>
	Common Bladderwort	<i>Utricularia vulgaris</i>
	Common Saltmarsh-grass	<i>Puccinellia maritima</i>
	Common Sea-lavender	<i>Limonium vulgare</i>
	Corn Parsley	<i>Petroselinum segetum</i>
	Distant Sedge	<i>Carex distans</i>
	Divided Sedge	<i>Carex divisa</i>
	Golden Dock	<i>Rumex maritimus</i>
	Greater Water-parsnip	<i>Sium latifolium</i>
	Grey Club-rush	<i>Schoenoplectus tabernaemontani</i>
	Hairlike Pondweed	<i>Potamogeton trichoides</i>
	Hog's Fennel	<i>Peucedanum officinale</i>
	Horned Pondweed	<i>Zannichellia palustris</i>
	Least Lettuce	<i>Lactuca saligna</i>
	Lesser Bulrush	<i>Typha angustifolia</i>
	Marsh Arrowgrass	<i>Triglochin palustre</i>
	Marsh Dock	<i>Rumex palustris</i>
	Marsh Horsetail	<i>Equisetum palustre</i>
	Marsh Yellow-cress	<i>Rorippa palustris</i>
	Marsh-mallow	<i>Althaea officinalis</i>
	Narrow-leaved Bird's-foot-trefoil	<i>Lotus tenuis</i>
	Narrow-leaved Water-dropwort	<i>Oenanthe silaifolia</i>
	Parsley Water-dropwort	<i>Oenanthe lachenalii</i>
	Pink Water-Speedwell	<i>Veronica catenata</i>
	Round-fruited Rush	<i>Juncus compressus</i>
	Saltmarsh Goosefoot	<i>Chenopodium chenopodioides</i>
	Saltmarsh Rush	<i>Juncus gerardii</i>
	Sea Barley	<i>Hordeum marinum</i>
	Sea Clover	<i>Trifolium squamosum</i>
	Sea Rush	<i>Juncus maritimus</i>
	Sea-milkwort	<i>Glaux maritima</i>
	Sharp-leaved Pondweed	<i>Potamogeton acutifolius</i>
	Slender Hare's-ear	<i>Bupleurum tenuissimum</i>
	Small Sweet-grass	<i>Glyceria declinata</i>

	Small Water-pepper	<i>Persicaria minor</i>
	Soft Hornwort	<i>Ceratophyllum submersum</i>
	Spiny Restharrow	<i>Ononis spinosa</i>
	Stiff Saltmarsh-grass	<i>Puccinellia rupestris</i>
	Stinking Goosefoot	<i>Chenopodium vulvaria</i>
	Strawberry Clover	<i>Trifolium fragiferum</i>
	Tasteless Water-pepper	<i>Persicaria mitis</i>
	Tubular Water-dropwort	<i>Oenanthe fistulosa</i>
	Tufted Forget-me-not	<i>Myosotis laxa</i>
	Utricularia	<i>Utricularia</i>
	Water Dock	<i>Rumex hydrolapathum</i>
	Water-meadow Dandelion	<i>Taraxacum hygrophilum</i>

Lowland meadows (Priority GL3)

Amphibians	Common Toad	<i>Bufo bufo</i>
	Great-crested newt	<i>Triturus cristatus</i>
Bees, Wasps and Ants	Brown-banded Carder Bee	<i>Bombus humilis</i>
	Large Garden Bumblebee	<i>Bombus ruderalis</i>
	Long-horned Bee	<i>Eucera longicornis</i>
	Moss Carder Bee	<i>Bombus muscorum</i>
	Red-shanked Carder Bee	<i>Bombus ruderalis</i>
	Short Haired Bumble Bee	<i>Bombus subterraneus</i>
	Shrill Carder Bee	<i>Bombus sylvarum</i>
Beetles	Black Oil-beetle	<i>Meloe proscarabaeus</i>
	Obscure Clown	<i>Margarinotus obscurus</i>
	Obscure Clown	<i>Margarinotus obscurus</i>
	Rove beetle	<i>Micropeplus tesserula</i>
	Scarab beetle	<i>Geotrupes mutator</i>
	Scarab beetle	<i>Geotrupes mutator</i>
	Scarce Dung Clown	<i>Hister bissexstriatus</i>
	Wood boring beetle	<i>Caenocara bovistae</i>
Birds	Barn Owl	<i>Tyto alba</i> [br]
	Grey Partridge	<i>Perdix perdix</i> [br]
	Swallow	<i>Hirundo rustica</i> [br]
Butterflies	Dark Green Fritillary	<i>Speyeria aglaja</i>
	Dingy Skipper	<i>Erynnis tages</i>
	Grizzled Skipper	<i>Pyrgus malvae</i>
	Small Heath	<i>Coenonympha pamphilus</i>
	Wall	<i>Lasiommata megera</i>
Flies		<i>Dorycera graminum</i>
Fungi	Powdercap Strangler	<i>Dissoderma paradoxum</i>
		<i>Clavaria incarnata</i>
		<i>Clavaria zollingeri</i>
		<i>Cuphophyllus colemannianus</i>
		<i>Cuphophyllus lacmus</i>
		<i>Cuphophyllus lepidopus</i>
		<i>Entoloma indutoides</i>
		<i>Entoloma porphyrophaeum</i>
		<i>Entoloma prunuloides</i>
		<i>Hygrocybe citrinovirens</i>
		<i>Hygrocybe coccineocrenata</i>
		<i>Hygrocybe ingrata</i>
		<i>Hygrocybe punicea</i>
		<i>Hygrocybe spadicea</i>
		<i>Hygrocybe splendidissima</i>
		<i>Microglossum olivaceum</i>

		<i>Mycena latifolia</i>
		<i>Neohygrocybe ovina</i>
		<i>Omphalina galericolor</i>
		<i>Porpolomopsis calyptriformis</i>
Grasshoppers, crickets and allies	Mole Cricket	<i>Gryllotalpa gryllotalpa</i>
Mammals	Brown Hare	<i>Lepus europaeus</i>
	Brown Long-eared Bat	<i>Plecotus auritus</i>
	Greater Horseshoe Bat	<i>Rhinolophus ferrumequinum</i>
	Grey Long-eared Bat	<i>Plecotus austriacus</i>
	Harvest Mouse	<i>Micromys minutus</i>
	Leisler's Bat	<i>Nyctalus leisleri</i>
	Mouse-eared Bat	<i>Myotis myotis</i>
	Natterer's Bat	<i>Myotis nattereri</i>
	Noctule Bat	<i>Nyctalus noctula</i>
	Polecat	<i>Mustela putorius</i>
	Serotine	<i>Eptesicus serotinus</i>
	West European Hedgehog	<i>Erinaceus europaeus</i>
	Western Barbastelle	<i>Barbastella barbastellus</i>
Moths	Blackneck	<i>Lygephila pastinum</i>
	Bordered Pug	<i>Eupithecia succenturiata</i>
	Fiery Clearwing	<i>Pyropteron chrysidiformes</i>
	Ghost Moth	<i>Hepialus humuli</i>
	Satyr Pug	<i>Eupithecia satyrata</i>
	Tawny Speckled Pug	<i>Eupithecia icterata</i>
Reptiles	Adder	<i>Vipera berus</i>
	Common Lizard	<i>Zootoca vivipara</i>
	Grass Snake	<i>Natrix helvetica</i>
	Slow-worm	<i>Anguis fragilis</i>
Spiders	Small Mesh-weaver	<i>Dictyna pusilla</i>
	Thin Weblet	<i>Agyneta mollis</i>
Vascular plants	Adder's-tongue	<i>Ophioglossum vulgatum</i>
	Bithynian Vetch	<i>Vicia bithynica</i>
	Bladder Campion	<i>Silene vulgaris</i>
	Blinks	<i>Montia fontana</i>
	Brown Sedge	<i>Carex disticha</i>
	Burnet-saxifrage	<i>Pimpinella saxifraga</i>
	Carnation Sedge	<i>Carex panicea</i>
	Common Milkwort	<i>Polygala vulgaris</i>
	Common Restharrow	<i>Ononis repens</i>
	Common Sedge	<i>Carex nigra</i>
	Common Twayblade	<i>Neottia ovata</i>
	Common Yellow-sedge	<i>Carex demissa</i>
	Corky-fruited Water-dropwort	<i>Oenanthe pimpinelloides</i>

	Cowslip	<i>Primula veris</i>
	Crosswort	<i>Cruciata laevipes</i>
	Daffodil	<i>Narcissus pseudonarcissus</i>
	Deptford Pink	<i>Dianthus armeria</i>
	Devil's-bit Scabious	<i>Succisa pratensis</i>
	Distant Sedge	<i>Carex distans</i>
	Dyer's Greenweed	<i>Genista tinctoria</i>
	Field Pepperwort	<i>Lepidium campestre</i>
	Field Scabious	<i>Knautia arvensis</i>
	Greater Burnet-saxifrage	<i>Pimpinella major</i>
	Green-winged Orchid	<i>Anacamptis morio</i>
	Lady's Bedstraw	<i>Galium verum</i>
	Large Bitter-cress	<i>Cardamine amara</i>
	Meadow Saxifrage	<i>Saxifraga granulata</i>
	Mousetail	<i>Myosurus minimus</i>
	Narrow-leaved Water-dropwort	<i>Oenanthe silaifolia</i>
	Pale Sedge	<i>Carex pallescens</i>
	Pennyroyal	<i>Mentha pulegium</i>
	Pepper-saxifrage	<i>Silaum silaus</i>
	Pignut	<i>Conopodium majus</i>
	Quaking-grass	<i>Briza media</i>
	Ragged-Robin	<i>Silene flos-cuculi</i>
	Rough Hawkbit	<i>Leontodon hispidus</i>
	Slender Bird's-foot-trefoil	<i>Lotus angustissimus</i>
	Slender Tare	<i>Vicia parviflora</i>
	Sneezewort	<i>Achillea ptarmica</i>
	Strawberry Clover	<i>Trifolium fragiferum</i>
	Yarrow Broomrape	<i>Orobanche purpurea</i>
	Yellow-rattle	<i>Rhinanthus minor</i>
	Zigzag Clover	<i>Trifolium medium</i>

Acid grassland and heathland (Priority GL4)

Amphibians	Common Toad	<i>Bufo bufo</i>
	Natterjack Toad	<i>Epidalea calamita</i>
Bees, Wasps and Ants	Black-headed Mason Wasp	<i>Odynerus melanocephalus</i>
	Five-banded Weevil-wasp	<i>Cerceris quinquefasciata</i>
	Four-banded Weevil-wasp	<i>Cerceris quadricincta</i>
Beetles	Darkling beetle and allies	<i>Anthicus bimaculatus</i>
	Ground beetle	<i>Diachromus germanus</i>
	Scarab beetle	<i>Euheptaulacus sus</i>
	Scarab beetle	<i>Geotrupes mutator</i>
	Scarab beetle	<i>Labarrus lividus</i>
	Scarab beetle	<i>Melinopterus consputus</i>
	Scarab beetle	<i>Plagiogonus arenarius</i>
	Weevil	<i>Acentrotypus brunnipes</i>
	Weevil	<i>Liparus germanus</i>
Birds	Dartford Warbler	<i>Curruca undata [br]</i>
	Grasshopper Warbler	<i>Locustella naevia [br]</i>
	Hobby	<i>Falco subbuteo [br]</i>
	Linnet	<i>Linaria cannabina [br]</i>
	Nightjar	<i>Caprimulgus europaeus [br]</i>
	Tree Pipit	<i>Anthus trivialis</i>
	Woodcock	<i>Scolopax rusticola [br]</i>
	Woodlark	<i>Lullula arborea [br]</i>
Butterflies	Silver-Studded Blue	<i>Plebejus argus cretaceus</i>
	Small Heath	<i>Coenonympha pamphilus</i>
Flies		<i>Leucophora sponso</i>
		<i>Paragus tibialis</i>
		<i>Rhaphium fascipes</i>
Fungi	Vampire's Bane	<i>Mycetinis scorodonius</i>
		<i>Arrhenia chlorocyanea</i>
		<i>Battarrea phalloides</i>
		<i>Clavaria flavipes</i>
		<i>Clavaria incarnata</i>
		<i>Clavaria zollingeri</i>
		<i>Cuphophyllus flavipes</i>
		<i>Cuphophyllus lacmus</i>
		<i>Entoloma porphyrophaeum</i>
		<i>Gloioxanthomyces vitellinus</i>
		<i>Leucoagaricus barssii</i>
		<i>Microglossum olivaceum</i>
		<i>Omphalina galericolor</i>
		<i>Porpolomopsis calyptriformis</i>
Grasshoppers, crickets and	Mottled Grasshopper	<i>Myrmeleotettix maculatus</i>

allies		
Lichens		<i>Cladonia rei</i>
		<i>Cladonia uncialis subsp. uncialis</i>
		<i>Teloschistes flavicans</i>
Mosses and liverworts	Bog Groove-moss	<i>Aulacomnium palustre</i>
	Floating Hookmoss	<i>Warnstorfia fluitans</i>
	Forcipated Pincerwort	<i>Cephalozia connivens</i>
	Glittering Woodmoss	<i>Hylocomium splendens</i>
	Inflated Notchwort	<i>Gymnocolea inflata</i>
	Larger Cut Notchwort	<i>Tritomaria exsectiformis</i>
	Lesser Cow-horn Bogmoss	<i>Sphagnum inundatum</i>
	Red Bogmoss	<i>Sphagnum rubellum</i>
	Ribbonwort	<i>Pallavicinia lyellii</i>
	Soft Bogmoss	<i>Sphagnum tenellum</i>
	Tree-moss	<i>Climacium dendroides</i>
	Trunk Pawwort	<i>Orthocaulis attenuatus</i>
		<i>Sphagnum magellanicum agg.</i>
Moths	Broom Moth	<i>Ceramica pisi</i>
	Broom-tip	<i>Chesias rufata</i>
	Forester	<i>Adscita statices</i>
	Streak	<i>Chesias legatella</i>
	True Lover's Knot	<i>Lycophotia porphyrea</i>
Reptiles	Adder	<i>Vipera berus</i>
	Common Lizard	<i>Zootoca vivipara</i>
	Grass Snake	<i>Natrix helvetica</i>
	Sand Lizard	<i>Lacerta agilis</i>
	Slow-worm	<i>Anguis fragilis</i>
Spiders	Small Mesh-weaver	<i>Dictyna pusilla</i>
	Thin Weblet	<i>Agyneta mollis</i>
		<i>Araniella displicata</i>
		<i>Lasaeola prona</i>
True bugs	Breckland Leatherbug	<i>Arenocoris waltlii</i>
		<i>Ortholomus punctipennis</i>
		<i>Phytocoris insignis</i>
Vascular plants	Alder Buckthorn	<i>Frangula alnus</i>
	Allseed	<i>Linum radiola</i>
	Annual Knawel	<i>Scleranthus annuus</i>
	Aspen	<i>Populus tremula</i>
	Bell Heather	<i>Erica cinerea</i>
	Betony	<i>Stachys officinalis</i>
	Bilberry	<i>Vaccinium myrtillus</i>
	Bird's-foot	<i>Ornithopus perpusillus</i>
	Bird's-foot Clover	<i>Trifolium ornithopodioides</i>
	Blinks	<i>Montia fontana</i>

	Bristle Club-rush	<i>Isolepis setacea</i>
	Bulbous Rush	<i>Juncus bulbosus</i>
	Burnet-saxifrage	<i>Pimpinella saxifraga</i>
	Carlina Thistle	<i>Carlina vulgaris</i>
	Chamomile	<i>Chamaemelum nobile</i>
	Climbing Corydalis	<i>Ceratocarpus claviculata</i>
	Clustered Clover	<i>Trifolium glomeratum</i>
	Common Cottongrass	<i>Eriophorum angustifolium</i>
	Common Cow-Wheat	<i>Melampyrum pratense</i>
	Common Cudweed	<i>Filago germanica</i>
	Common Sedge	<i>Carex nigra</i>
	Cross-leaved Heath	<i>Erica tetralix</i>
	Dodder	<i>Cuscuta epithymum</i>
	Dwarf Gorse	<i>Ulex minor</i>
	Eared Willow	<i>Salix aurita</i>
	Early Forget-me-not	<i>Myosotis ramosissima</i>
	Early Hair-grass	<i>Aira praecox</i>
	English Eyebright	<i>Euphrasia officinalis</i> subsp. <i>anglica</i>
	Eyebright	<i>Euphrasia nemorosa</i>
	Field Mouse-ear	<i>Cerastium arvense</i>
	Fine-leaved Sheep's-fescue	<i>Festuca filiformis</i>
	Goldenrod	<i>Solidago virgaurea</i>
	Greater Broomrape	<i>Orobanche rapum-genistae</i>
	Green-ribbed Sedge	<i>Carex binervis</i>
	Hard-fern	<i>Blechnum spicant</i>
	Harebell	<i>Campanula rotundifolia</i>
	Hare's-foot Clover	<i>Trifolium arvense</i>
	Heath Bedstraw	<i>Galium saxatile</i>
	Heath Dog-violet	<i>Viola canina</i>
	Heath Groundsel	<i>Senecio sylvaticus</i>
	Heath Milkwort	<i>Polygala serpyllifolia</i>
	Heath Speedwell	<i>Veronica officinalis</i>
	Heath Spotted-orchid	<i>Dactylorhiza maculata</i>
	Heath Wood-rush	<i>Luzula multiflora</i>
	Heather	<i>Calluna vulgaris</i>
	Heath-grass	<i>Danthonia decumbens</i>
	Hieracium agg.	<i>Hieracium</i> agg.
	Hoary Cinquefoil	<i>Potentilla argentea</i>
	Ivy-leaved Bellflower	<i>Wahlenbergia hederacea</i>
	Lesser Calamint	<i>Clinopodium calamintha</i>
	Lesser Centaury	<i>Centaureum pulchellum</i>
	Lousewort	<i>Pedicularis sylvatica</i>
	Marsh Violet	<i>Viola palustris</i>
	Narrow Buckler-fern	<i>Dryopteris carthusiana</i>

	Narrow-leaved Vetch	<i>Vicia sativa subsp. nigra</i>
	Pale Flax	<i>Linum bienne</i>
	Petty Whin	<i>Genista anglica</i>
	Pill Sedge	<i>Carex pilulifera</i>
	Purple Moor-grass	<i>Molinia caerulea</i>
	Sand Sedge	<i>Carex arenaria</i>
	Sand Spurrey	<i>Spergularia rubra</i>
	Sharp-flowered Rush	<i>Juncus acutiflorus</i>
	Sheep's-fescue	<i>Festuca ovina</i>
	Silver Hair-grass	<i>Aira caryophyllea</i>
	Slender Bird's-foot-trefoil	<i>Lotus angustissimus</i>
	Slender St John's-wort	<i>Hypericum pulchrum</i>
	Small Cudweed	<i>Filago minima</i>
	Smooth Cat's-ear	<i>Hypochaeris glabra</i>
	Sneezewort	<i>Achillea ptarmica</i>
	Spring-sedge	<i>Carex caryophyllea</i>
	Star Sedge	<i>Carex echinata</i>
	Subterranean Clover	<i>Trifolium subterraneum</i>
	Suffocated Clover	<i>Trifolium suffocatum</i>
	Toothed Medick	<i>Medicago polymorpha</i>
	Tormentil	<i>Potentilla erecta</i>
	Tower Mustard	<i>Arabis glabra</i>
	Trailing St John's-wort	<i>Hypericum humifusum</i>
	Trailing Tormentil	<i>Potentilla anglica</i>
	Upright Chickweed	<i>Moenchia erecta</i>
	Velvet Bent	<i>Agrostis canina</i>
	Velvet Bent	<i>Agrostis canina</i>
	Wavy Hair-grass	<i>Deschampsia flexuosa</i>
	Western Gorse	<i>Ulex gallii</i>

Arable field margins (Priority GL5)

Amphibians	Common Toad	<i>Bufo bufo</i>
	Great-crested newt	<i>Triturus cristatus</i>
Bees, Wasps and Ants	Brown-banded Carder Bee	<i>Bombus humilis</i>
	Large Garden Bumblebee	<i>Bombus ruderalis</i>
	Moss Carder Bee	<i>Bombus muscorum</i>
	Red-shanked Carder Bee	<i>Bombus ruderalis</i>
	Short Haired Bumble Bee	<i>Bombus subterraneus</i>
	Shrill Carder Bee	<i>Bombus sylvarum</i>
Beetles	Hop Flea Beetle	<i>Psylliodes attenuata</i>
	Necklace Ground Beetle	<i>Carabus monilis</i>
	Rugged Oil-beetle	<i>Meloe rugosus</i>
	Set-aside Downy-back ground beetle	<i>Ophonus laticollis</i>
	Violet Oil-beetle	<i>Meloe violaceus</i>
	Weevil	<i>Omphalapion beuthini</i>
Birds	Barn Owl	<i>Tyto alba</i> [br]
	Brent Goose	<i>Branta bernicla</i> [n-br]
	Cirl Bunting	<i>Emberiza cirlus</i> [br]
	Corn Bunting	<i>Emberiza calandra</i> [br]
	Corncrake	<i>Crex crex</i> [br]
	Curlew	<i>Numenius arquata</i> [br]
	Curlew	<i>Numenius arquata</i> [n-br]
	Golden Plover	<i>Pluvialis apricaria</i> [n-br]
	Greenfinch	<i>Chloris chloris</i> [br]
	Grey Partridge	<i>Perdix perdix</i> [br]
	Kestrel	<i>Falco tinnunculus</i> [br]
	Lapwing	<i>Vanellus vanellus</i> [n-br]
	Linnet	<i>Linaria cannabina</i> [br]
	Marsh Harrier	<i>Circus aeruginosus</i> [br]
	Reed Bunting	<i>Emberiza schoeniclus</i>
	Rook	<i>Corvus frugilegus</i> [br]
	Skylark	<i>Alauda leucoptera</i> [br]
	Starling	<i>Sturnus vulgaris</i> [br]
	Stone-curlew	<i>Burhinus oedicephalus</i> [br]
	Tree Sparrow	<i>Passer montanus</i> [br]
	Tundra Swan	<i>Cygnus columbianus</i> [n-br]
	Turtle Dove	<i>Streptopelia turtur</i> [br]
	Yellow Wagtail	<i>Motacilla flava</i> [br]
	Yellowhammer	<i>Emberiza citrinella</i> [br]
	Yellowhammer	<i>Emberiza citrinella</i> [br]
Fungi		<i>Ustilago hordei</i>
Mammals	Brown Hare	<i>Lepus europaeus</i>
	Harvest Mouse	<i>Micromys minutus</i>

	Mouse-eared Bat	<i>Myotis myotis</i>
	Polecat	<i>Mustela putorius</i>
	Serotine	<i>Eptesicus serotinus</i>
	West European Hedgehog	<i>Erinaceus europaeus</i>
Mosses and liverworts	Clustered Earth-moss	<i>Ephemerum cohaerens</i>
	Micheli's Balloonwort	<i>Sphaerocarpos michelii</i>
Moths	Dark Spinach	<i>Pelurga comitata</i>
	Fiery Clearwing	<i>Pyropteron chrysidiformes</i>
	Four-spotted	<i>Tyta luctuosa</i>
Reptiles	Adder	<i>Vipera berus</i>
	Common Lizard	<i>Zootoca vivipara</i>
	Grass Snake	<i>Natrix helvetica</i>
	Slow-worm	<i>Anguis fragilis</i>
Vascular plants	Bladder Campion	<i>Silene vulgaris</i>
	Broad-leaved Cudweed	<i>Filago pyramidata</i>
	Broad-leaved Spurge	<i>Euphorbia platyphyllos</i>
	Common Cudweed	<i>Filago germanica</i>
	Corn Buttercup	<i>Ranunculus arvensis</i>
	Corn Mint	<i>Mentha arvensis</i>
	Corn Parsley	<i>Petroselinum segetum</i>
	Corn Spurrey	<i>Spergula arvensis</i>
	Cornflower	<i>Centaurea cyanus</i>
	Darnel	<i>Lolium temulentum</i>
	Dense-flowered Fumitory	<i>Fumaria densiflora</i>
	Dwarf Spurge	<i>Euphorbia exigua</i>
	Field Gromwell	<i>Buglossoides arvensis</i>
	Field Penny-cress	<i>Thlaspi arvense</i>
	Field Pepperwort	<i>Lepidium campestre</i>
	Field Woundwort	<i>Stachys arvensis</i>
	Fine-leaved Fumitory	<i>Fumaria parviflora</i>
	Ground-pine	<i>Ajuga chamaepitys</i>
	Interrupted Brome	<i>Bromus interruptus</i>
	Long-stalked Crane's-bill	<i>Geranium columbinum</i>
	Mousetail	<i>Myosurus minimus</i>
	Musk Thistle	<i>Carduus nutans</i>
	Narrow Fruited Cornsalad	<i>Valerianella dentata</i>
	Night-flowering Catchfly	<i>Silene noctiflora</i>
	Pheasant's-eye	<i>Adonis annua</i>
	Prickly Poppy	<i>Roemeria argemone</i>
	Rough Poppy	<i>Roemeria hybrida</i>
	Round-leaved Fluellen	<i>Kickxia spuria</i>
	Rye Brome	<i>Bromus secalinus</i>
	Shepherd's-needle	<i>Scandix pecten-veneris</i>
	Small Toadflax	<i>Chaenorhinum minus</i>

	Small-flowered Catchfly	<i>Silene gallica</i>
	Spreading Hedge-parsley	<i>Torilis arvensis</i>
	Stinking Chamomile	<i>Anthemis cotula</i>
	Venus's-looking-glass	<i>Legousia hybrida</i>
	Wild Pansy	<i>Viola tricolor</i>

Successional habitats

Open mosaic habitat on previously developed land (brownfield) (Priority SH1)

Amphibians	Common Toad	<i>Bufo bufo</i>
Bees, Wasps and Ants	Black-headed Mason Wasp	<i>Odynerus melanocephalus</i>
	Brown-banded Carder Bee	<i>Bombus humilis</i>
	Five-banded Weevil-wasp	<i>Cerceris quinquefasciata</i>
	Large Garden Bumblebee	<i>Bombus ruderatus</i>
	Moss Carder Bee	<i>Bombus muscorum</i>
	Red-shanked Carder Bee	<i>Bombus ruderarius</i>
	Short Haired Bumble Bee	<i>Bombus subterraneus</i>
	Shrill Carder Bee	<i>Bombus sylvarum</i>
Beetles	Darkling beetle and allies	<i>Anthicus bimaculatus</i>
	Ground beetle	<i>Anisodactylus poeciloides</i>
	Ground beetle	<i>Harpalus dimidiatus</i>
	Ground beetle	<i>Lionychus quadrillum</i>
	Ground beetle	<i>Scybalicus oblongiusculus</i>
	Leaf beetle	<i>Podagricra fuscipes</i>
	Scarab beetle	<i>Labarrus lividus</i>
	Scarab beetle	<i>Melinopterus consputus</i>
	Scarab beetle	<i>Plagiogonus arenarius</i>
	Stag Beetle	<i>Lucanus cervus</i>
	Weevil	<i>Acentrotypus brunnipes</i>
Birds	Barn Owl	<i>Tyto alba [br]</i>
	Black Redstart	<i>Phoenicurus ochruros [br]</i>
	Greenfinch	<i>Chloris chloris [br]</i>
	House Martin	<i>Delichon urbicum [br]</i>
	Kestrel	<i>Falco tinnunculus [br]</i>
	Little Owl	<i>Athene noctua [br]</i>
	Mistle Thrush	<i>Turdus viscivorus [br]</i>
	Spotted Flycatcher	<i>Muscicapa striata [br]</i>
	Starling	<i>Sturnus vulgaris [br]</i>
	Swallow	<i>Hirundo rustica [br]</i>
	Swift	<i>Apus apus [br]</i>
Flies		<i>Gymnosoma nitens</i>
		<i>Leucophora sponsa</i>
		<i>Litophasia hyalipennis</i>
		<i>Paragus albifrons</i>
Grasshoppers, crickets and allies	Mottled Grasshopper	<i>Myrmeleotettix maculatus</i>
Lichens		<i>Lecanora horiza</i>

		<i>Physcia clementei</i>
		<i>Zwackhia prosodea</i>
Mammals	Brown Hare	<i>Lepus europaeus</i>
	Brown Long-eared Bat	<i>Plecotus auritus</i>
	Grey Long-eared Bat	<i>Plecotus austriacus</i>
	Harvest Mouse	<i>Micromys minutus</i>
	Hazel Dormouse	<i>Muscardinus avellanarius</i>
	Leisler's Bat	<i>Nyctalus leisleri</i>
	Nathusius's Pipistrelle	<i>Pipistrellus nathusii</i>
	Noctule Bat	<i>Nyctalus noctula</i>
	Polecat	<i>Mustela putorius</i>
	Serotine	<i>Eptesicus serotinus</i>
	Soprano Pipistrelle	<i>Pipistrellus pygmaeus</i>
	West European Hedgehog	<i>Erinaceus europaeus</i>
Mosses and liverworts	Cliff Scalewort	<i>Porella cordaeana</i>
	Drab Brook-moss	<i>Hygrohypnum luridum</i>
	Glittering Woodmoss	<i>Hylocomium splendens</i>
	Hemisphaeric Liverwort	<i>Reboulia hemisphaerica</i>
	Hooded Bristlemoss	<i>Orthotrichum cupulatum</i>
	Prince-of-Wales Feathermoss	<i>Neckera smithii</i>
	Squirrel-tail Moss	<i>Leucodon sciuroides</i>
Moths	August Thorn	<i>Ennomos quercinaria</i>
	Beaded Chestnut	<i>Agrochola lychnidis</i>
	Bordered Pug	<i>Eupithecia succenturiata</i>
	Brown-spot Pinion	<i>Anchoscelis litura</i>
	Centre-barred Sallow	<i>Atethmia centrago</i>
	Dark Spinach	<i>Pelurga comitata</i>
	Double Dart	<i>Graphiphora augur</i>
	Dusky Brocade	<i>Apamea remissa</i>
	Dusky Thorn	<i>Ennomos fuscantaria</i>
	Figure of Eight	<i>Diloba caeruleocephala</i>
	Golden Plusia	<i>Polychrysia moneta</i>
	Grey Dagger	<i>Acronicta psi</i>
	Horehound Long-horn	<i>Nemophora fasciella</i>
	Large Thorn	<i>Ennomos autumnaria</i>
	Latticed Heath	<i>Chiasmia clathrata</i>
	Mottled Umber	<i>Erannis defoliaria</i>
	Mouse Moth	<i>Amphipyra tragopoginis</i>
	September Thorn	<i>Ennomos erosaria</i>
	Spinach	<i>Eulithis mellinata</i>
	Tawny Speckled Pug	<i>Eupithecia icterata</i>
Reptiles	Common Lizard	<i>Zootoca vivipara</i>
	Grass Snake	<i>Natrix helvetica</i>
	Slow-worm	<i>Anguis fragilis</i>

	Slow-worm	<i>Anguis fragilis</i>
Spiders	Distinguished Jumper	<i>Attulus distinguendus</i>
Vascular plants	Aspen	<i>Populus tremula</i>
	Autumn Gentian	<i>Gentianella amarella</i>
	Bird's-foot Clover	<i>Trifolium ornithopodioides</i>
	Bladder Campion	<i>Silene vulgaris</i>
	Blue Fleabane	<i>Erigeron acris</i>
	Bulbous Meadow-grass	<i>Poa bulbosa</i>
	Carlina Thistle	<i>Carlina vulgaris</i>
	Common Cudweed	<i>Filago germanica</i>
	Creeping Willow	<i>Salix repens</i>
	Crested Hair-grass	<i>Koeleria macrantha</i>
	Dark Mullein	<i>Verbascum nigrum</i>
	Deadly Nightshade	<i>Atropa belladonna</i>
	Early Forget-me-not	<i>Myosotis ramosissima</i>
	Early Hair-grass	<i>Aira praecox</i>
	Field Penny-cress	<i>Thlaspi arvense</i>
	Grass-poly	<i>Lythrum hyssopifolia</i>
	Lesser Centaury	<i>Centaureum pulchellum</i>
	Lizard Orchid	<i>Himantoglossum hircinum</i>
	Maiden Pink	<i>Dianthus deltoides</i>
	Meadow Saxifrage	<i>Saxifraga granulata</i>
	Pyramidal Orchid	<i>Anacamptis pyramidalis</i>
	Round-leaved Wintergreen	<i>Pyrola rotundifolia</i> ssp. <i>maritima</i>
	Silver Hair-grass	<i>Aira caryophyllea</i>
	Small Cudweed	<i>Filago minima</i>
	Small-flowered Buttercup	<i>Ranunculus parviflorus</i>
	Stinking Goosefoot	<i>Chenopodium vulvaria</i>
	Sweet-briar	<i>Rosa rubiginosa</i>
	Upright Chickweed	<i>Moenchia erecta</i>
	Wall Bedstraw	<i>Galium parisiense</i>
	White Mullein	<i>Verbascum lychnitis</i>
	Yellow Vetchling	<i>Lathyrus aphaca</i>
	Yellow-wort	<i>Blackstonia perfoliata</i>

Scrub (Priority SH2)

Amphibians	Common Toad	<i>Bufo bufo</i>
	Great-crested newt	<i>Triturus cristatus</i>
Bees, Wasps and Ants	Brown-banded Carder Bee	<i>Bombus humilis</i>
	Large Garden Bumblebee	<i>Bombus ruderratus</i>
	Moss Carder Bee	<i>Bombus muscorum</i>
	Oak Mining Bee	<i>Andrena ferox</i>
	Red-shanked Carder Bee	<i>Bombus ruderrarius</i>
	Short Haired Bumble Bee	<i>Bombus subterraneus</i>
	Shrill Carder Bee	<i>Bombus sylvarum</i>
Beetles	Bark-gnawing Beetle	<i>Nemozoma elongatum</i>
	Blue Pepper-pot Beetle	<i>Cryptocephalus punctiger</i>
	Hazel Pot Beetle	<i>Cryptocephalus coryli</i>
	Rove beetle	<i>Phyllodrepa puberula</i>
	Soft-winged Flower beetle	<i>Dasytes virens</i>
Birds	Bullfinch	<i>Pyrrhula pyrrhula</i> [br]
	Dartford Warbler	<i>Curruca undata</i> [br]
	Grasshopper Warbler	<i>Locustella naevia</i> [br]
	Greenfinch	<i>Chloris chloris</i> [br]
	Linnet	<i>Linaria cannabina</i> [br]
	Long-eared Owl	<i>Asio otus</i> [br]
	Nightingale	<i>Luscinia megarhynchos</i> [br]
	Sedge Warbler	<i>Acrocephalus schoenobaenus</i> [br]
	Turtle Dove	<i>Streptopelia turtur</i> [br]
	Yellowhammer	<i>Emberiza citrinella</i> [br]
Butterflies	Brown Hairstreak	<i>Thecla betulae</i>
	White-letter Hairstreak	<i>Satyrrium w-album</i>
Flies		<i>Sarcophaga uliginosa</i>
		<i>Sarcophaga uliginosa</i>
Fungi		<i>Ramariopsis pulchella</i>
		<i>Verpa conica</i>
Grasshoppers, crickets and allies	Lesne's Earwig	<i>Forficula lesnei</i>
	Short-winged Earwig	<i>Apterygida media</i>
Mammals	Brown Long-eared Bat	<i>Plecotus auritus</i>
	Grey Long-eared Bat	<i>Plecotus austriacus</i>
	Harvest Mouse	<i>Micromys minutus</i>
	Hazel Dormouse	<i>Muscardinus avellanarius</i>
	Leisler's Bat	<i>Nyctalus leisleri</i>
	Lesser Horseshoe Bat	<i>Rhinolophus hipposideros</i>
	Natterer's Bat	<i>Myotis nattereri</i>
	Noctule Bat	<i>Nyctalus noctula</i>
	Pine Marten	<i>Martes martes</i>
	Serotine	<i>Eptesicus serotinus</i>

	West European Hedgehog	<i>Erinaceus europaeus</i>
Mosses and liverworts	Many-seasoned Threadmoss	<i>Bryum intermedium</i>
	Short-beaked Woodmoss	<i>Loeskeobryum brevirostre</i>
	Tree-moss	<i>Climacium dendroides</i>
		<i>Bryum pseudotriquetrum agg</i>
Moths	August Thorn	<i>Ennomos quercinaria</i>
	Dungeness Parornix	<i>Parornix atripalpella</i>
	Dusky Thorn	<i>Ennomos fuscantaria</i>
	Early Moth	<i>Theria primaria</i>
	Lackey	<i>Malacosoma neustria</i>
	Large Thorn	<i>Ennomos autumnaria</i>
	Pale Eggar	<i>Trichiura crataegi</i>
	Seathorn Spinner	<i>Gelechia hippophaella</i>
	September Thorn	<i>Ennomos erosaria</i>
	Sloe Carpet	<i>Aleucis distinctata</i>
Reptiles	Adder	<i>Vipera berus</i>
	Common Lizard	<i>Zootoca vivipara</i>
	Grass Snake	<i>Natrix helvetica</i>
	Slow-worm	<i>Anguis fragilis</i>
Vascular plants	Alder Buckthorn	<i>Frangula alnus</i>
	Buckthorn	<i>Rhamnus cathartica</i>
	Common Cow-Wheat	<i>Melampyrum pratense</i>
	Common Gromwell	<i>Lithospermum officinale</i>
	Crosswort	<i>Cruciata laevipes</i>
	Deadly Nightshade	<i>Atropa belladonna</i>
	Fragrant Agrimony	<i>Agrimonia procera</i>
	Greater Broomrape	<i>Orobanche rapum-genistae</i>
	Hairy Violet	<i>Viola hirta</i>
	Long-stalked Crane's-bill	<i>Geranium columbinum</i>
	Nettle-leaved Bellflower	<i>Campanula trachelium</i>
	Pale Flax	<i>Linum bienne</i>
	Ploughman's-spikenard	<i>Inula conyzae</i>
	Short-styled Field-rose	<i>Rosa stylosa</i>
	Small-flowered Sweet-briar	<i>Rosa micrantha</i>
	Sweet-briar	<i>Rosa rubiginosa</i>

Woodland, trees and hedgerows habitats

Woodland (Priorities WTH1, WTH2, WTH3 and WTH4)

Amphibians	Common Toad	<i>Bufo bufo</i>
	Great-crested newt	<i>Triturus cristatus</i>
Bees, Wasps and Ants	Fringe-horned Mason Bee	<i>Osmia pilicornis</i>
	Grey-banded Mining Bee	<i>Andrena denticulata</i>
	Long-horned Bee	<i>Eucera longicornis</i>
	Oak Mining Bee	<i>Andrena ferox</i>
	Shining Guest Ant	<i>Formicoxenus nitidulus</i>
	Small Flecked Mining Bee	<i>Andrena coitana</i>
	Tormentil Mining Bee	<i>Andrena tarsata</i>
		<i>Crossocerus exiguus</i>
Beetles	Bark-gnawing Beetle	<i>Nemozoma elongatum</i>
	Black Oil-beetle	<i>Meloe proscarabaeus</i>
	Blue Pepper-pot Beetle	<i>Cryptocephalus punctiger</i>
	Click beetle	<i>Ampedus rufipennis</i>
	Darkling beetle and allies	<i>Lagria atripes</i>
	Darkling beetle and allies	<i>Mordella holomelaena</i>
	Darkling beetle and allies	<i>Mordella leucaspis</i>
	Darkling beetle and allies	<i>Mycetophagus populi</i>
	Darkling beetle and allies	<i>Vanonus brevicornis</i>
	Great Capricorn longhorn beetle	<i>Cerambyx cerdo</i>
	Great Capricorn longhorn beetle	<i>Cerambyx cerdo</i>
	Hairy Fungus beetle	<i>Pseudotriphyllus suturalis</i>
	Hazel Pot Beetle	<i>Cryptocephalus coryli</i>
	Leaf beetle	<i>Zeugophora flavicollis</i>
	Noble Chafer	<i>Gnorimus nobilis</i>
	Parallel Bark Clown	<i>Paromalus parallelepipedus</i>
	Phoenix Clown	<i>Acritus homoeopathicus</i>
	Rove beetle	<i>Manda mandibularis</i>
	Rove beetle	<i>Micropeplus tesserula</i>
	Rove beetle	<i>Phyllodrepa puberula</i>
	Rove beetle	<i>Proteinus atomarius</i>
	Scarlet Malachite Beetle	<i>Malachius aeneus</i>
	Six-spotted Pot Beetle	<i>Cryptocephalus sexpunctatus</i>
	Soft-winged Flower beetle	<i>Dasytes virens</i>
	Southern Oyster Mushroom Beetle	<i>Triplax lacordairii</i>
	Southern Oyster Mushroom Beetle	<i>Triplax lacordairii</i>
	Stag Beetle	<i>Lucanus cervus</i>
	Water beetle	<i>Hydroporus longicornis</i>
	Water beetle	<i>Limnebius crinifer</i>
	Weevil	<i>Dissoleucas niveirostris</i>

	Weevil	<i>Mitoplinthus caliginosus</i>
	Weevil	<i>Polydrusus marginatus</i>
	Weevil	<i>Pseudeuparius sepicola</i>
	Wood boring beetle	<i>Xyletinus longitarsis</i>
Birds	Barn Owl	<i>Tyto alba [br]</i>
	Bullfinch	<i>Pyrrhula pyrrhula [br]</i>
	Cuckoo	<i>Cuculus canorus [br]</i>
	Golden Oriole	<i>Oriolus oriolus [br]</i>
	Goshawk	<i>Accipiter gentilis [br]</i>
	Green Woodpecker	<i>Picus viridis [br]</i>
	Grey Heron	<i>Ardea cinerea [br]</i>
	Hawfinch	<i>Coccothraustes coccothraustes [br]</i>
	Hobby	<i>Falco subbuteo [br]</i>
	Honey-buzzard	<i>Pernis apivorus [br]</i>
	Kestrel	<i>Falco tinnunculus [br]</i>
	Lesser Spotted Woodpecker	<i>Dryobates minor [br]</i>
	Little Egret	<i>Egretta garzetta [br]</i>
	Little Owl	<i>Athene noctua [br]</i>
	Long-eared Owl	<i>Asio otus [br]</i>
	Marsh Tit	<i>Poecile palustris [br]</i>
	Mistle Thrush	<i>Turdus viscivorus [br]</i>
	Nightingale	<i>Luscinia megarhynchos [br]</i>
	Nightjar	<i>Caprimulgus europaeus [br]</i>
	Raven	<i>Corvus corax [br]</i>
	Red Kite	<i>Milvus milvus [br]</i>
	Rook	<i>Corvus frugilegus [br]</i>
	Sparrowhawk	<i>Accipiter nisus [br]</i>
	Spotted Flycatcher	<i>Muscicapa striata [br]</i>
	Starling	<i>Sturnus vulgaris [br]</i>
	Tawny Owl	<i>Strix aluco [br]</i>
	Tree Pipit	<i>Anthus trivialis</i>
	Woodcock	<i>Scolopax rusticola [n-br]</i>
	Woodlark	<i>Lullula arborea [br]</i>
Butterflies	Duke of Burgundy	<i>Hamearis lucina</i>
	Heath Fritillary	<i>Melitaea athalia</i>
	White Admiral	<i>Limenitis camilla</i>
	White-letter Hairstreak	<i>Satyrium w-album</i>
Caddisflies		<i>Tinodes pallidulus</i>
Dragonflies and damselflies	Brilliant Emerald Dragonfly	<i>Somatochlora metallica</i>
	Downy Emerald	<i>Cordulia aenea</i>
Flies	Blean Bristleshin	<i>Phaonia apicalis</i>
	Canterbury Bristleshin	<i>Phaonia amabilis</i>
	Golden Hoverfly	<i>Callicera spinolae</i>
	Pale Giant Horsefly	<i>Tabanus bovinus</i>

		<i>Agria affinis</i>
		<i>Argyra grata</i>
		<i>Melangyna barbifrons</i>
		<i>Parasetigena silvestris</i>
		<i>Sciophila antiqua</i>
Fungi	Bilious Bolete	<i>Rubroboletus legaliae</i>
	Bronze Bolete	<i>Boletus aereus</i>
	Cow-wheat Clustercup Rust	<i>Puccinia nemoralis</i>
	Crimson Bolete	<i>Rubinoboletus rubinus</i>
	Devil's bolete	<i>Rubroboletus satanas</i>
	Dusky Bolete	<i>Porphyrellus porphyrosporus</i>
	Gilded Bolete	<i>Aureoboletus gentilis</i>
	Golden-Gilled Bolete	<i>Phylloporus pelletieri</i>
	Old Man Of The Woods	<i>Strobilomyces strobilaceus</i>
	Pale Bolete	<i>Butryiboletus fechtneri</i>
	Slate Bolete	<i>Leccinum duriusculum</i>
	Tawny Bolete	<i>Aureoboletus moravicus</i>
	Vampire's Bane	<i>Mycetinis scorodonius</i>
	Wood Bolete	<i>Buchwaldoboletus lignicola</i>
	Wrinkled Peach	<i>Rhodotus palmatus</i>
		<i>Alloclavaria purpurea</i>
		<i>Artomyces pyxidatus</i>
		<i>Caloscypha fulgens</i>
		<i>Camarops polysperma</i>
		<i>Cantharellus ferruginascens</i>
		<i>Chrysomphalina chrysophylla</i>
		<i>Cortinarius alcalinophilus</i>
		<i>Cortinarius arcuatorum</i>
		<i>Cortinarius caroviolaceus</i>
		<i>Cortinarius elegantissimus</i>
		<i>Cortinarius humicola</i>
		<i>Cortinarius odoratus</i>
		<i>Cortinarius olearioides</i>
		<i>Cortinarius orellanus</i>
		<i>Cortinarius osmophorus</i>
		<i>Cortinarius rubicundulus</i>
		<i>Cortinarius splendens</i>
		<i>Cortinarius suaveolens</i>
		<i>Cortinarius violaceus</i>
		<i>Cortinarius vulpinus</i>
		<i>Craterellus melanoxeros</i>
		<i>Cudonia confusa</i>
		<i>Dendrocollybia racemosa</i>
		<i>Entoloma dichroum</i>

	<i>Entoloma indutoides</i>
	<i>Flammulaster limulatus</i>
	<i>Flammulaster muricatus</i>
	<i>Fomitiporia robusta</i>
	<i>Fuscoporia torulosa</i>
	<i>Ganoderma carnosum</i>
	<i>Ganoderma pfeifferi</i>
	<i>Geastrum quadrifidum</i>
	<i>Gloeophyllum trabeum</i>
	<i>Gloeoporus dichrous</i>
	<i>Gyrodon lividus</i>
	<i>Gyromitra ambigua</i>
	<i>Hericium coralloides</i>
	<i>Hericium erinaceus</i>
	<i>Hodophilus micaceus</i>
	<i>Hohenbuehelia mastrucata</i>
	<i>Hyalopsora adianti-capilli-veneris</i>
	<i>Hydnellum aurantiacum</i>
	<i>Hydnellum concrescens</i>
	<i>Hydnellum ferrugineum</i>
	<i>Hydnellum peckii</i>
	<i>Hydnellum scrobiculatum</i>
	<i>Hydnellum spongiosipes</i>
	<i>Hygrophorus arbustivus</i>
	<i>Hygrophorus camarophyllus</i>
	<i>Hygrophorus carpini</i>
	<i>Hygrophorus cossus</i>
	<i>Hygrophorus erubescens</i>
	<i>Hygrophorus hedrychii</i>
	<i>Hygrophorus lucorum</i>
	<i>Hygrophorus nemoreus</i>
	<i>Hygrophorus penarius</i>
	<i>Hygrophorus persoonii</i>
	<i>Hypocreopsis lichenoides</i>
	<i>Lactarius mairei</i>
	<i>Lactarius salmonicolor</i>
	<i>Lentinellus ursinus</i>
	<i>Leucopaxillus gentianeus</i>
	<i>Limacella ochraceolutea</i>
	<i>Mensularia nodulosa</i>
	<i>Morchella elata</i>
	<i>Morchella esculenta</i>
	<i>Morchella vulgaris</i>
	<i>Mycoacia nothofagi</i>

		<i>Otidea integra</i>
		<i>Pappia fissilis</i>
		<i>Perenniporia medulla-panis</i>
		<i>Phellodon confluens</i>
		<i>Phellodon melaleucus</i>
		<i>Phellodon niger</i>
		<i>Phellodon tomentosus</i>
		<i>Pholiota astragalina</i>
		<i>Phyllotopsis nidulans</i>
		<i>Pithya cupressina</i>
		<i>Podoscypha multizonata</i>
		<i>Pogonoloma spinulosum</i>
		<i>Polyporus umbellatus</i>
		<i>Psathyrella caput-medusae</i>
		<i>Psathyrella maculata</i>
		<i>Pycnoporus cinnabarinus</i>
		<i>Ramaria aurea</i>
		<i>Ramaria botrytis</i>
		<i>Ramaria formosa</i>
		<i>Ramariopsis crocea</i>
		<i>Ramariopsis pulchella</i>
		<i>Russula aurea</i>
		<i>Russula badia</i>
		<i>Russula cavipes</i>
		<i>Russula cuprea</i>
		<i>Russula lilacea</i>
		<i>Russula melzeri</i>
		<i>Russula rutila</i>
		<i>Russula tinctipes</i>
		<i>Russula viscida</i>
		<i>Sarcodon joeides</i>
		<i>Sarcodon regalis</i>
		<i>Sarcodon scabrosus</i>
		<i>Sarcodon squamosus</i>
		<i>Sarcodontia crocea</i>
		<i>Sarcosphaera coronaria</i>
		<i>Squamanita paradoxa</i>
		<i>Trametes suaveolens</i>
		<i>Tricholoma acerbum</i>
		<i>Tricholoma populinum</i>
		<i>Verpa conica</i>
Grasshoppers, crickets and allies	Lesne's Earwig	<i>Forficula lesnei</i>
	Short-winged Earwig	<i>Apterygida media</i>
Lichens	Orange-Fruited Elm-Lichen	<i>Caloplaca luteoalba</i>

		<i>Bellicidia incompta</i>
		<i>Biatora globulosa</i>
		<i>Calicium adpersum</i>
		<i>Caloplaca flavorubescens</i>
		<i>Caloplaca herbidella</i>
	Orange-Fruited Elm-Lichen	<i>Caloplaca luteoalba</i>
		<i>Chaenotheca phaeocephala</i>
		<i>Chaenothecopsis savonica</i>
		<i>Chrysothrix chrysophthalma</i>
		<i>Cryptolechia carneolutea</i>
		<i>Enterographa elaborata</i>
		<i>Gabura fascicularis</i>
		<i>Lecania chlorotiza</i>
		<i>Lecanora quercicola</i>
		<i>Lecanora sublivescens</i>
		<i>Lecidea erythrophaea</i>
		<i>Lemmopsis arnoldiana</i>
		<i>Megalospora tuberculosa</i>
		<i>Pertusaria pustulata</i>
		<i>Pertusaria velata</i>
		<i>Physcia clementei</i>
		<i>Pyrenula nitida</i>
		<i>Pyrenula nitidella</i>
		<i>Rinodina isidioides</i>
		<i>Synarthonia astroidestera</i>
		<i>Zwackhia prosodea</i>
Mammals	Alcathoe Bat	<i>Myotis alcathoe</i>
	Bechstein's Bat	<i>Myotis bechsteinii</i>
	Brown Long-eared Bat	<i>Plecotus auritus</i>
	Greater Horseshoe Bat	<i>Rhinolophus ferrumequinum</i>
	Grey Long-eared Bat	<i>Plecotus austriacus</i>
	Hazel Dormouse	<i>Muscardinus avellanarius</i>
	Leisler's Bat	<i>Nyctalus leisleri</i>
	Lesser Horseshoe Bat	<i>Rhinolophus hipposideros</i>
	Mouse-eared Bat	<i>Myotis myotis</i>
	Nathusius's Pipistrelle	<i>Pipistrellus nathusii</i>
	Natterer's Bat	<i>Myotis nattereri</i>
	Noctule Bat	<i>Nyctalus noctula</i>
	Pine Marten	<i>Martes martes</i>
	Polecat	<i>Mustela putorius</i>
	Serotine	<i>Eptesicus serotinus</i>
	Western Barbastelle	<i>Barbastella barbastellus</i>
Millipedes	Boring Millipede	<i>Polyzonium germanicum</i>
Molluscs	Mountain Bulin	<i>Ena montana</i>

	Spotted Keeled Slug	<i>Tandonia rustica</i>
Mosses and liverworts	Bent-moss	<i>Campylostelium saxicola</i>
	Bitter Scalewort	<i>Porella arboris-vitae</i>
	Brown's Four-tooth Moss	<i>Tetradontium brownianum</i>
	Chain Pincerwort	<i>Cephalozia catenulata</i>
	Chalk Feathermoss	<i>Campylophyllopsis calcarea</i>
	Dusky Forkmoss	<i>Dicranum fuscescens</i>
	Dwarf Flapwort	<i>Jungermannia pumila</i>
	Dwarf Neckera	<i>Neckera pumila</i>
	Flagellate Feathermoss	<i>Hyocomium armoricum</i>
	Forcipated Pincerwort	<i>Cephalozia connivens</i>
	Fountain Apple-moss	<i>Philonotis fontana</i>
	Glittering Woodmoss	<i>Hylocomium splendens</i>
	Greater Whipwort	<i>Bazzania trilobata</i>
	Handsome Woollywort	<i>Trichocolea tomentella</i>
	Inflated Notchwort	<i>Gymnocolea inflata</i>
	Larger Cut Notchwort	<i>Tritomaria exsectiformis</i>
	Least Crystalwort	<i>Riccia subbirfurca</i>
	Least Earwort	<i>Scapania curta</i>
	Lesser Smoothcap	<i>Atrichum angustatum</i>
	Matchstick Flapwort	<i>Odontoschisma denudatum</i>
	Meylan's Pouchwort	<i>Calypogeia integristipula</i>
	Notched Rustwort	<i>Marsupella emarginata</i> var. <i>emarginata</i>
	Prince-of-Wales Feathermoss	<i>Neckera smithii</i>
	Ribbonwort	<i>Pallavicinia lyellii</i>
	Rusty Feathermoss	<i>Sciuro-hypnum plumosum</i>
	Scott's Forkmoss	<i>Dicranum scottianum</i>
	Shady Earwort	<i>Scapania umbrosa</i>
	Shining Hookeria	<i>Hookeria lucens</i>
	Short-beaked Woodmoss	<i>Loeskeobryum brevirostre</i>
	Silesian Feathermoss	<i>Herzogiella seligeri</i>
	Slender Smoothcap	<i>Atrichum tenellum</i>
	Slender Tamarisk-moss)	<i>Heterocladium flaccidum</i>
	Spiky Bogmoss	<i>Sphagnum squarrosum</i>
	Squirrel-tail Moss	<i>Leucodon sciuroides</i>
	Starry Thyme-moss	<i>Mnium stellare</i>
	Stipular Flapwort	<i>Harpanthus scutatus</i>
	Transparent Flapwort	<i>Solenostoma hyalinum</i>
	Transparent Forkmoss	<i>Dichodontium pellucidum</i>
	Trunk Pawwort	<i>Orthocaulis attenuatus</i>
	Water Earwort	<i>Scapania undulata</i>
	Western Earwort	<i>Scapania gracilis</i>
	Wood-rust	<i>Cephalozia curvifolia</i>
	Wry-leaved Tamarisk-moss	<i>Heterocladium heteropterum</i>

Moths	Aspen Knot-horn	<i>Sciota hostilis</i>
	August Thorn	<i>Ennomos quercinaria</i>
	Beaded Chestnut	<i>Agrochola lychnidis</i>
	Beautiful Pearl	<i>Agrotera nemoralis</i>
	Blackneck	<i>Lygephila pastinum</i>
	Broom Moth	<i>Ceramica pisi</i>
	Broom-tip	<i>Chesias rufata</i>
	Brown-spot Pinion	<i>Anchoscelis litura</i>
	Centre-barred Sallow	<i>Atethmia centrigo</i>
	Clay Fan-foot	<i>Paracolax tristalis</i>
	Common Fan-foot	<i>Pechipogo strigilata</i>
	Daisy Case-bearer	<i>Coleophora ramosella</i>
	Dark Crimson Underwing	<i>Catocala sponsa</i>
	Double Dart	<i>Graphiphora augur</i>
	Drab Looper	<i>Minoa murinata</i>
	Dusky Brocade	<i>Apamea remissa</i>
	Dusky Thorn	<i>Ennomos fuscantaria</i>
	Dusky-lemon Sallow	<i>Cirrhia gilvago</i>
	Early Moth	<i>Theria primaria</i>
	Feathered Beauty	<i>Peribatodes secundaria</i>
	Fen Cap	<i>Pseudopostega auritella</i>
	Figure of Eight	<i>Diloba caeruleocephala</i>
	Flounced Chestnut	<i>Agrochola helvola</i>
	Forester	<i>Adscita statices</i>
	Frosted Green	<i>Polyploca ridens</i>
	Ghost Moth	<i>Hepialus humuli</i>
	Goldenrod Straw	<i>Cochylidia subroseana</i>
	Grey Dagger	<i>Acronicta psi</i>
	Heart Moth	<i>Dicycla oo</i>
	Lackey	<i>Malacosoma neustria</i>
	Large Thorn	<i>Ennomos autumnaria</i>
	Light Crimson Underwing	<i>Catocala promissa</i>
	Mottled Goldenrod Tortrix	<i>Eucosma aemulana</i>
	Mottled Umber	<i>Erannis defoliaria</i>
	Mouse Moth	<i>Amphipyra tragopoginis</i>
	Oak Lutestring	<i>Cymatophorina diluta</i>
	Pale Eggar	<i>Trichiura crataegi</i>
	Plumed Prominent	<i>Ptilophora plumigera</i>
	Sanicle Brown	<i>Agonopterix astrantiae</i>
	Satyr Pug	<i>Eupithecia satyrata</i>
	Scarce Aspen Midget	<i>Phyllonorycter sagitella</i>
	Scarce Goldenrod Plume	<i>Hellinsia chrysocomae</i>
	September Thorn	<i>Ennomos erosaria</i>
	Small Phoenix	<i>Ecliptopera silaceata</i>

	Spinach	<i>Eulithis mellinata</i>
	Splendid Oak Leaf-miner	<i>Phyllonorycter distentella</i>
	Sprawler	<i>Asteroscopus sphinx</i>
	Streak	<i>Chesias legatella</i>
	Sub-angled Wave	<i>Scopula nigropunctata</i>
	The V-Moth	<i>Macaria wauaria</i>
	True Lover's Knot	<i>Lycophotia porphyrea</i>
	White-spotted Pinion	<i>Cosmia diffinis</i>
	White-spotted Pug	<i>Eupithecia tripunctaria</i>
	White-spotted Sable	<i>Anania funebris</i>
	Yellow-striped Bark Moth	<i>Harpella forficella</i>
Spiders	Broad Groove-head Spider	<i>Monocephalus castaneipes</i>
	Triangle Hammock-spider	<i>Saaristoa firma</i>
		<i>Centromerus cavernarum</i>
		<i>Pistius truncatus</i>
		<i>Walckenaeria mitrata</i>
True bugs	Scarlet Shieldbug	<i>Eurydema dominulus</i>
		<i>Aradus aterrimus</i>
		<i>Charagochilus weberi</i>
		<i>Tingis angustata</i>
Vascular plants	Adder's-tongue	<i>Ophioglossum vulgatum</i>
	Alder Buckthorn	<i>Frangula alnus</i>
	Allseed	<i>Linum radiola</i>
	Aspen	<i>Populus tremula</i>
	Bearded Couch	<i>Elymus caninus</i>
	Betony	<i>Stachys officinalis</i>
	Bilberry	<i>Vaccinium myrtillus</i>
	Bird's-nest Orchid	<i>Neottia nidus-avis</i>
	Bitter-vetch	<i>Lathyrus linifolius</i>
	Black Currant	<i>Ribes nigrum</i>
	Bog Stitchwort	<i>Stellaria alsine</i>
	Bristle Club-rush	<i>Isolepis setacea</i>
	Buckthorn	<i>Rhamnus cathartica</i>
	Bulbous Rush	<i>Juncus bulbosus</i>
	Butcher's-broom	<i>Ruscus aculeatus</i>
	Chaffweed	<i>Centunculus minimus</i>
	Climbing Corydalis	<i>Ceratocarpus claviculata</i>
	Common Cow-Wheat	<i>Melampyrum pratense</i>
	Common Gromwell	<i>Lithospermum officinale</i>
	Common Twayblade	<i>Neottia ovata</i>
	Common Yellow-sedge	<i>Carex demissa</i>
	Copse-bindweed	<i>Fallopia dumetorum</i>
	Coralroot	<i>Cardamine bulbifera</i>
	Corn Mint	<i>Mentha arvensis</i>

Crab Apple	<i>Malus sylvestris</i>
Creeping-Jenny	<i>Lysimachia nummularia</i>
Daffodil	<i>Narcissus pseudonarcissus</i>
Deadly Nightshade	<i>Atropa belladonna</i>
Devil's-bit Scabious	<i>Succisa pratensis</i>
Dwarf Gorse	<i>Ulex minor</i>
Eared Willow	<i>Salix aurita</i>
Early Dog-violet	<i>Viola reichenbachiana</i>
Early-purple Orchid	<i>Orchis mascula</i>
Eyebright	<i>Euphrasia nemorosa</i>
Fly Orchid	<i>Ophrys insectifera</i>
Fragrant Agrimony	<i>Agrimonia procera</i>
Goldenrod	<i>Solidago virgaurea</i>
Goldilocks Buttercup	<i>Ranunculus auricomus</i>
Great Wood-rush	<i>Luzula sylvatica</i>
Greater Burnet-saxifrage	<i>Pimpinella major</i>
Greater Butterfly-orchid	<i>Platanthera chlorantha</i>
Green Hellebore	<i>Helleborus viridis</i>
Green-ribbed Sedge	<i>Carex binervis</i>
Hairy Wood-rush	<i>Luzula pilosa</i>
Hairy-brome	<i>Bromopsis ramosa</i>
Hard Shield-fern	<i>Polystichum aculeatum</i>
Hard-fern	<i>Blechnum spicant</i>
Harsh Downy-rose	<i>Rosa tomentosa</i>
Hay-scented Buckler-fern	<i>Dryopteris aemula</i>
Heath Bedstraw	<i>Galium saxatile</i>
Heath Cudweed	<i>Omalotheca sylvatica</i>
Heath Groundsel	<i>Senecio sylvaticus</i>
Heath Milkwort	<i>Polygala serpyllifolia</i>
Heath Speedwell	<i>Veronica officinalis</i>
Heath Wood-rush	<i>Luzula multiflora</i>
Heath-grass	<i>Danthonia decumbens</i>
Herb-paris	<i>Paris quadrifolia</i>
	<i>Hieracium</i> agg.
Hornbeam	<i>Carpinus betulus</i>
Ivy-leaved Bellflower	<i>Wahlenbergia hederacea</i>
Lady Orchid	<i>Orchis purpurea</i>
Lady-fern	<i>Athyrium filix-femina</i>
Lemon-scented Fern	<i>Oreopteris limbosperma</i>
Lesser Butterfly-orchid	<i>Platanthera bifolia</i>
Lesser Centaury	<i>Centaureum pulchellum</i>
Lesser Skullcap	<i>Scutellaria minor</i>
Lesser Spearwort	<i>Ranunculus flammula</i>
Lily-of-the-valley	<i>Convallaria majalis</i>

	Lousewort	<i>Pedicularis sylvatica</i>
	Marsh Valerian	<i>Valeriana dioica</i>
	Midland Hawthorn	<i>Crataegus laevigata</i>
	Moschatel	<i>Adoxa moschatellina</i>
	Narrow-leaved Bitter-cress	<i>Cardamine impatiens</i>
	Nettle-leaved Bellflower	<i>Campanula trachelium</i>
	Orpine	<i>Sedum telephium</i>
	Pale Sedge	<i>Carex pallescens</i>
	Pignut	<i>Conopodium majus</i>
	Pill Sedge	<i>Carex pilulifera</i>
	Ploughman's-spikenard	<i>Inula conyzae</i>
	Polypody	<i>Polypodium vulgare</i>
	Purple Moor-grass	<i>Molinia caerulea</i>
	Ragged-Robin	<i>Silene flos-cuculi</i>
	Ramsons	<i>Allium ursinum</i>
	Round-leaved Wintergreen	<i>Pyrola rotundifolia ssp. maritima</i>
	Sanicle	<i>Sanicula europaea</i>
	Scaly Male-fern	<i>Dryopteris affinis</i>
	Short-styled Field-rose	<i>Rosa stylosa</i>
	Slender St John's-wort	<i>Hypericum pulchrum</i>
	Small Teasel	<i>Dipsacus pilosus</i>
	Small-leaved Lime	<i>Tilia cordata</i>
	Smooth-stalked Sedge	<i>Carex laevigata</i>
	Soft Shield-fern	<i>Polystichum setiferum</i>
	Solomon's-seal	<i>Polygonatum multiflorum</i>
	Southern Wood-rush	<i>Luzula forsteri</i>
	Spurge-laurel	<i>Daphne laureola</i>
	Toothwort	<i>Lathraea squamaria</i>
	Tormentil	<i>Potentilla erecta</i>
	Trailing St John's-wort	<i>Hypericum humifusum</i>
	Trailing Tormentil	<i>Potentilla anglica</i>
	Velvet Bent	<i>Agrostis canina</i>
	Violet Helleborine	<i>Epipactis purpurata</i>
	Water-purslane	<i>Lythrum portula</i>
	Wavy Hair-grass	<i>Deschampsia flexuosa</i>
	Western Gorse	<i>Ulex gallii</i>
	White Helleborine	<i>Cephalanthera damasonium</i>
	White Mullein	<i>Verbascum lychnitis</i>
	Wild Liquorice	<i>Astragalus glycyphyllos</i>
	Wild Service-tree	<i>Sorbus torminalis</i>
	Wood Anemone	<i>Anemone nemorosa</i>
	Wood Club-rush	<i>Scirpus sylvaticus</i>
	Wood Meadow-grass	<i>Poa nemoralis</i>
	Wood Melick	<i>Melica uniflora</i>

	Wood Millet	<i>Milium effusum</i>
	Wood Speedwell	<i>Veronica montana</i>
	Wood Spurge	<i>Euphorbia amygdaloides</i>
	Woodruff	<i>Galium odoratum</i>
	Wood-sedge	<i>Carex sylvatica</i>
	Wood-sorrel	<i>Oxalis acetosella</i>
	Yellow Bird's-nest	<i>Hypopitys monotropa</i>
	Yellow Pimpernel	<i>Lysimachia nemorum</i>
	Zigzag Clover	<i>Trifolium medium</i>

Ancient Woodland (Priority WTH5)

Beetles	Bark-gnawing Beetle	<i>Nemozoma elongatum</i>
	Click beetle	<i>Ampedus rufipennis</i>
	Darkling beetle and allies	<i>Mordella holomelaena</i>
	Darkling beetle and allies	<i>Mordella leucaspis</i>
	Darkling beetle and allies	<i>Mycetophagus populi</i>
	Darkling beetle and allies	<i>Vanonus brevicornis</i>
	Hairy Fungus beetle	<i>Pseudotriphyllus suturalis</i>
	Noble Chafer	<i>Gnorimus nobilis</i>
	Parallel Bark Clown	<i>Paromalus parallelepipedus</i>
	Southern Oyster Mushroom Beetle	<i>Triplax lacordairii</i>
	Weevil	<i>Dissoleucas niveirostris</i>
	Weevil	<i>Pseudeuparius sepicola</i>
Birds	Green Woodpecker	<i>Picus viridis</i> [br]
	Marsh Tit	<i>Poecile palustris</i> [br]
	Spotted Flycatcher	<i>Muscicapa striata</i> [br]
Caddisflies		<i>Tinodes pallidulus</i>
Flies	Blean Bristleshin	<i>Phaonia apicalis</i>
	Canterbury Bristleshin	<i>Phaonia amabilis</i>
	Pale Giant Horsefly	<i>Tabanus bovinus</i>
		<i>Parasetigena silvestris</i>
Fungi		<i>Cortinarius alcalinophilus</i>
		<i>Cortinarius arcuatorum</i>
		<i>Cortinarius caroviolaceus</i>
		<i>Cortinarius elegantissimus</i>
		<i>Cortinarius humicola</i>
		<i>Cortinarius odoratus</i>
		<i>Cortinarius olearioides</i>
		<i>Cortinarius orellanus</i>
		<i>Cortinarius osmophorus</i>
		<i>Cortinarius rubicundulus</i>
		<i>Cortinarius splendens</i>
		<i>Cortinarius suaveolens</i>
		<i>Cortinarius violaceus</i>
		<i>Cortinarius vulpinus</i>
Lichens		<i>Calicium adpersum</i>
		<i>Caloplaca herbidella</i>
		<i>Chaenothecopsis savonica</i>
		<i>Chrysothrix chrysophthalma</i>
		<i>Lecanora quercicola</i>
		<i>Megalospora tuberculosa</i>
		<i>Pertusaria pustulata</i>
		<i>Synarthonia astroidestera</i>

Mammals	Alcathoe Bat	<i>Myotis alcathoe</i>
	Bechstein's Bat	<i>Myotis bechsteinii</i>
	Hazel Dormouse	<i>Muscardinus avellanarius</i>
	Pine Marten	<i>Martes martes</i>
Mosses and liverworts	Bent-moss	<i>Campylostelium saxicola</i>
	Bitter Scalewort	<i>Porella arboris-vitae</i>
	Brown's Four-tooth Moss	<i>Tetradontium brownianum</i>
	Chain Pincerwort	<i>Cephalozia catenulata</i>
	Chalk Feathermoss	<i>Campylophyllopsis calcarea</i>
	Dusky Forkmoss	<i>Dicranum fuscescens</i>
	Dwarf Flapwort	<i>Jungermannia pumila</i>
	Dwarf Neckera	<i>Neckera pumila</i>
	Flagellate Feathermoss	<i>Hyocomium armoricum</i>
	Greater Whipwort	<i>Bazzania trilobata</i>
	Handsome Woollywort	<i>Trichocolea tomentella</i>
	Larger Cut Notchwort	<i>Tritomaria exsectiformis</i>
	Least Crystalwort	<i>Riccia subbirfurca</i>
	Least Earwort	<i>Scapania curta</i>
	Lesser Smoothcap	<i>Atrichum angustatum</i>
	Matchstick Flapwort	<i>Odontoschisma denudatum</i>
	Notched Rustwort	<i>Marsupella emarginata</i> var. <i>emarginata</i>
	Ribbonwort	<i>Pallavicinia lyellii</i>
	Rusty Feathermoss	<i>Sciuro-hypnum plumosum</i>
	Scott's Forkmoss	<i>Dicranum scottianum</i>
	Shady Earwort	<i>Scapania umbrosa</i>
	Shining Hookeria	<i>Hookeria lucens</i>
	Short-beaked Woodmoss	<i>Loeskeobryum brevirostre</i>
	Silesian Feathermoss	<i>Herzogiella seligeri</i>
	Slender Smoothcap	<i>Atrichum tenellum</i>
	Slender Tamarisk-moss)	<i>Heterocladium flaccidum</i>
	Stipular Flapwort	<i>Harpanthus scutatus</i>
	Transparent Forkmoss	<i>Dichodontium pellucidum</i>
	Water Earwort	<i>Scapania undulata</i>
	Western Earwort	<i>Scapania gracilis</i>
	Wood-rust	<i>Cephalozia curvifolia</i>
	Wry-leaved Tamarisk-moss	<i>Heterocladium heteropterum</i>
Moths	Clay Fan-foot	<i>Paracolax tristalis</i>
	Common Fan-foot	<i>Pechipogo strigilata</i>
	Frosted Green	<i>Polyploca ridens</i>
True bugs		<i>Charagochilus weberi</i>

Wet Woodland (Priority WTH6)

Beetles	Click beetle	<i>Adrastus rachifer</i>
	Ground beetle	<i>Agonum scitulum</i>
	Hairy Fungus beetle	<i>Pseudotriphyllus suturalis</i>
	Jumping Weevil	<i>Orchestes testaceus</i>
	Rove beetle	<i>Philonthus ebeninus</i>
	Sallow Guest Weevil	<i>Melanapion minimum</i>
Birds	Lesser Spotted Woodpecker	<i>Dryobates minor</i> [br]
	Woodcock	<i>Scolopax rusticola</i> [n-br]
Flies	Dark-winged Soldier	<i>Oxycera analis</i>
	Southern Yellow Splinter	<i>Lipsothrix nervosa</i>
Fungi		<i>Camarops polysperma</i>
		<i>Gyrodon lividus</i>
		<i>Trametes suaveolens</i>
Lichens		<i>Phlyctis agelaea</i>
Mammals	Alcathoe Bat	<i>Myotis alcathoe</i>
	Beaver	<i>Castor fiber</i>
	Bechstein's Bat	<i>Myotis bechsteinii</i>
	Brown Long-eared Bat	<i>Plecotus auritus</i>
	Greater Horseshoe Bat	<i>Rhinolophus ferrumequinum</i>
	Leisler's Bat	<i>Nyctalus leisleri</i>
	Lesser Horseshoe Bat	<i>Rhinolophus hipposideros</i>
	Mouse-eared Bat	<i>Myotis myotis</i>
	Nathusius's Pipistrelle	<i>Pipistrellus nathusii</i>
	Natterer's Bat	<i>Myotis nattereri</i>
	Noctule Bat	<i>Nyctalus noctula</i>
	Polecat	<i>Mustela putorius</i>
	Serotine	<i>Eptesicus serotinus</i>
	Soprano Pipistrelle	<i>Pipistrellus pygmaeus</i>
	Western Barbastelle	<i>Barbastella barbastellus</i>
Millipedes	Kentish Snake Millipede	<i>Metaiulus pratensis</i>
Mosses and liverworts	Brown's Four-tooth Moss	<i>Tetradontium brownianum</i>
	Chain Pincerwort	<i>Cephalozia catenulata</i>
	Curled Hookmoss	<i>Palustriella commutata</i>
	Dwarf Flapwort	<i>Jungermannia pumila</i>
	Dwarf Neckera	<i>Neckera pumila</i>
	Flagellate Feathermoss	<i>Hyocomium armoricum</i>
	Forcipated Pincerwort	<i>Cephalozia connivens</i>
	Fountain Apple-moss	<i>Philonotis fontana</i>
	Greasewort	<i>Aneura pinguis</i>
	Greater Whipwort	<i>Bazzania trilobata</i>
	Handsome Woollywort	<i>Trichocolea tomentella</i>
	Larger Cut Notchwort	<i>Tritomaria exsectiformis</i>

	Least Earwort	<i>Scapania curta</i>
	Matchstick Flapwort	<i>Odontoschisma denudatum</i>
	Meylan's Pouchwort	<i>Calypogeia integristipula</i>
	Rusty Feathermoss	<i>Sciuro-hypnum plumosum</i>
	Scott's Forkmoss	<i>Dicranum scottianum</i>
	Shady Earwort	<i>Scapania umbrosa</i>
	Shining Hookeria	<i>Hookeria lucens</i>
	Slender Tamarisk-moss)	<i>Heterocladium flaccidum</i>
	Stipular Flapwort	<i>Harpanthus scutatus</i>
	Transparent Flapwort	<i>Solenostoma hyalinum</i>
	Transparent Forkmoss	<i>Dichodontium pellucidum</i>
	Water Earwort	<i>Scapania undulata</i>
	Western Earwort	<i>Scapania gracilis</i>
	Wood-rust	<i>Cephalozia curvifolia</i>
	Wry-leaved Tamarisk-moss	<i>Heterocladium heteropterum</i>
		<i>Bryum pseudotriquetrum</i> agg.
Moths	Beaked Tortrix	<i>Pandemis dumetana</i>
	Goat Moth	<i>Cossus cossus</i>
	Minor Shoulder-knot	<i>Brachylomia viminalis</i>
	Sallow	<i>Cirrhia icteritia</i>
	Shoulder-striped Wainscot	<i>Leucania comma</i>
Vascular plants	Bladder-sedge	<i>Carex vesicaria</i>
	Common Valerian	<i>Valeriana officinalis</i>
	Cyperus Sedge	<i>Carex pseudocyperus</i>
	Elongated Sedge	<i>Carex elongata</i>
	Large Bitter-cress	<i>Cardamine amara</i>
	Marsh Valerian	<i>Valeriana dioica</i>
	Marsh Violet	<i>Viola palustris</i>
	Marsh-marigold	<i>Caltha palustris</i>
	Narrow Buckler-fern	<i>Dryopteris carthusiana</i>
	Narrow-leaved Bitter-cress	<i>Cardamine impatiens</i>
	Opposite-leaved Golden-saxifrage	<i>Chrysosplenium oppositifolium</i>
	Remote Sedge	<i>Carex remota</i>
	Smooth-stalked Sedge	<i>Carex laevigata</i>
	Star Sedge	<i>Carex echinata</i>
	Thin-spiked Wood-sedge	<i>Carex strigosa</i>
	Tufted-sedge	<i>Carex elata</i>
	Water Chickweed	<i>Myosoton aquaticum</i>
	Wood Club-rush	<i>Scirpus sylvaticus</i>

Gill Woodland (Priority WTH7)

Flies	Golden Hoverfly	Callicera spinolae
-------	-----------------	--------------------

Hedgerow (Priority WTH8)

Amphibians	Common Toad	<i>Bufo bufo</i>
	Great-crested newt	<i>Triturus cristatus</i>
Beetles	Bark-gnawing Beetle	<i>Nemozoma elongatum</i>
	Hop Flea Beetle	<i>Psylliodes attenuata</i>
Birds	Bullfinch	<i>Pyrrhula pyrrhula [br]</i>
	Cirl Bunting	<i>Emberiza cirlus [br]</i>
	Grasshopper Warbler	<i>Locustella naevia [br]</i>
	Greenfinch	<i>Chloris chloris [br]</i>
	Linnet	<i>Linaria cannabina [br]</i>
	Nightingale	<i>Luscinia megarhynchos [br]</i>
	Tree Sparrow	<i>Passer montanus [br]</i>
	Turtle Dove	<i>Streptopelia turtur [br]</i>
	Yellowhammer	<i>Emberiza citrinella [br]</i>
Butterflies	Brown Hairstreak	<i>Thecla betulae</i>
	White-letter Hairstreak	<i>Satyrrium w-album</i>
Flies		<i>Sciophila antiqua</i>
Fungi	Old Man Of The Woods	<i>Strobilomyces strobilaceus</i>
		<i>Battarrea phalloides</i>
		<i>Leucoagaricus barssii</i>
Grasshoppers, crickets and allies	Short-winged Earwig	<i>Apterygida media</i>
Lichens		<i>Caloplaca flavorubescens</i>
		<i>Lecania chlorotiza</i>
		<i>Usnea articulata</i>
		<i>Usnea esperantiana</i>
Mammals	Brown Long-eared Bat	<i>Plecotus auritus</i>
	Greater Horseshoe Bat	<i>Rhinolophus ferrumequinum</i>
	Grey Long-eared Bat	<i>Plecotus austriacus</i>
	Hazel Dormouse	<i>Muscardinus avellanarius</i>
	Leisler's Bat	<i>Nyctalus leisleri</i>
	Lesser Horseshoe Bat	<i>Rhinolophus hipposideros</i>
	Mouse-eared Bat	<i>Myotis myotis</i>
	Natterer's Bat	<i>Myotis nattereri</i>
	Noctule Bat	<i>Nyctalus noctula</i>
	Pine Marten	<i>Martes martes</i>
	Polecat	<i>Mustela putorius</i>
	Serotine	<i>Eptesicus serotinus</i>
	Soprano Pipistrelle	<i>Pipistrellus pygmaeus</i>
	West European Hedgehog	<i>Erinaceus europaeus</i>
Moths	Beaded Chestnut	<i>Agrochola lychnidis</i>
	Early Moth	<i>Theria primaria</i>
	Figure of Eight	<i>Diloba caeruleocephala</i>

	Green-brindled Crescent	<i>Allophyes oxyacanthae</i>
	Grey Dagger	<i>Acronicta psi</i>
	Lappet	<i>Gastropacha quercifolia</i>
	Mottled Umber	<i>Erannis defoliaria</i>
	Sloe Carpet	<i>Aleucis distinctata</i>
	Small Emerald	<i>Hemistola chrysoprasaria</i>
	Small Phoenix	<i>Ecliptopera silaceata</i>
Reptiles	Adder	<i>Vipera berus</i>
	Common Lizard	<i>Zootoca vivipara</i>
	Grass Snake	<i>Natrix helvetica</i>
	Slow-worm	<i>Anguis fragilis</i>
Vascular plants	Alder Buckthorn	<i>Frangula alnus</i>
	Betony	<i>Stachys officinalis</i>
	Buckthorn	<i>Rhamnus cathartica</i>
	Butcher's-broom	<i>Ruscus aculeatus</i>
	Crab Apple	<i>Malus sylvestris</i>
	Early Dog-violet	<i>Viola reichenbachiana</i>
	Field Scabious	<i>Knautia arvensis</i>
	Fragrant Agrimony	<i>Agrimonia procera</i>
	Greater Burnet-saxifrage	<i>Pimpinella major</i>
	Hairy Wood-rush	<i>Luzula pilosa</i>
	Hairy-brome	<i>Bromopsis ramosa</i>
	Harsh Downy-rose	<i>Rosa tomentosa</i>
	Hieracium agg.	<i>Hieracium agg.</i>
	Hornbeam	<i>Carpinus betulus</i>
	Midland Hawthorn	<i>Crataegus laevigata</i>
	Moschatel	<i>Adoxa moschatellina</i>
	Nettle-leaved Bellflower	<i>Campanula trachelium</i>
	Orpine	<i>Sedum telephium</i>
	Short-styled Field-rose	<i>Rosa stylosa</i>
	Southern Wood-rush	<i>Luzula forsteri</i>
	Toothwort	<i>Lathraea squamaria</i>
	Wild Service-tree	<i>Sorbus torminalis</i>
	Wood Anemone	<i>Anemone nemorosa</i>
	Wood Meadow-grass	<i>Poa nemoralis</i>
	Wood Melick	<i>Melica uniflora</i>
	Wood Speedwell	<i>Veronica montana</i>
	Woodruff	<i>Galium odoratum</i>
	Wood-sorrel	<i>Oxalis acetosella</i>
	Yellow Pimpernel	<i>Lysimachia nemorum</i>
	Zigzag Clover	<i>Trifolium medium</i>

Traditional orchards (Priority WTH9)

Amphibians	Common Toad	<i>Bufo bufo</i>
	Great-crested newt	<i>Triturus cristatus</i>
Beetles	Noble Chafer	<i>Gnorimus nobilis</i>
Birds	Bullfinch	<i>Pyrrhula pyrrhula [br]</i>
	Greenfinch	<i>Chloris chloris [br]</i>
	Hawfinch	<i>Coccothraustes coccothraustes [br]</i>
	Lesser Spotted Woodpecker	<i>Dryobates minor [br]</i>
	Little Owl	<i>Athene noctua [br]</i>
	Turtle Dove	<i>Streptopelia turtur [br]</i>
Fungi		<i>Buglossoporus quercinus</i>
		<i>Pappia fissilis</i>
		<i>Sarcodontia crocea</i>
Grasshoppers, crickets and allies	Short-winged Earwig	<i>Apterygida media</i>
Mammals	Brown Long-eared Bat	<i>Plecotus auritus</i>
	Greater Horseshoe Bat	<i>Rhinolophus ferrumequinum</i>
	Leisler's Bat	<i>Nyctalus leisleri</i>
	Mouse-eared Bat	<i>Myotis myotis</i>
	Natterer's Bat	<i>Myotis nattereri</i>
	Noctule Bat	<i>Nyctalus noctula</i>
	Serotine	<i>Eptesicus serotinus</i>
Reptiles	Adder	<i>Vipera berus</i>
	Common Lizard	<i>Zootoca vivipara</i>
	Grass Snake	<i>Natrix helvetica</i>
	Slow-worm	<i>Anguis fragilis</i>
True bugs		<i>Tingis angustata</i>

Freshwater habitats

Rivers and Streams (Priorities FW1, FW2, FW3, FW4 and FW5)

Beetles	Jumping Weevil	<i>Orchestes testaceus</i>
	Sallow Guest Weevil	<i>Melanapion minimum</i>
	Scarce Four-dot Pin-palp ground beetle	<i>Bembidion quadripustulatum</i>
	Water beetle	<i>Eubria palustris</i>
	Water beetle	<i>Hydraena pulchella</i>
	Water beetle	<i>Macronychus quadrituberculatus</i>
	Water beetle	<i>Stenelmis canaliculata</i>
	Weevil	<i>Bagous nodulosus</i>
Birds	Common Tern	<i>Sterna hirundo</i> [br]
	Cormorant	<i>Phalacrocorax carbo</i> [br]
	Grey Heron	<i>Ardea cinerea</i> [br]
	Grey Wagtail	<i>Motacilla cinerea</i> [br]
	Kingfisher	<i>Alcedo atthis</i> [br]
	Little Egret	<i>Egretta garzetta</i> [br]
	Osprey	<i>Pandion haliaetus</i> [br]
Caddisflies		<i>Tinodes pallidulus</i>
Crustacean	White clawed crayfish	<i>Austropotamobius pallipes</i>
Dragonflies and damselflies	Scarce Chaser	<i>Libellula fulva</i>
Fish	Allis Shad	<i>Alosa alosa</i>
	Atlantic Salmon	<i>Salmo salar</i>
	Brook Lamprey	<i>Lampetra planeri</i>
	Bullhead	<i>Cottus gobio</i>
	Chub	<i>Squalius cephalus</i>
	Common Sturgeon	<i>Acipenser sturio</i>
	European Eel	<i>Anguilla anguilla</i>
	River Lamprey	<i>Lampetra fluviatilis</i>
	Sea Lamprey	<i>Petromyzon marinus</i>
	Smelt	<i>Osmerus eperlanus</i>
Flies	Dark-winged Soldier	<i>Oxycera analis</i>
	Southern Yellow Splinter	<i>Lipsothrix nervosa</i>
Mammals	Beaver	<i>Castor fiber</i>
	Brown Long-eared Bat	<i>Plecotus auritus</i>
	Eurasian Otter	<i>Lutra lutra</i>
	European Water Vole	<i>Arvicola amphibius</i>
	Leisler's Bat	<i>Nyctalus leisleri</i>
	Lesser Horseshoe Bat	<i>Rhinolophus hipposideros</i>
	Nathusius's Pipistrelle	<i>Pipistrellus nathusii</i>
	Natterer's Bat	<i>Myotis nattereri</i>

	Noctule Bat	<i>Nyctalus noctula</i>
	Noctule Bat	<i>Nyctalus noctula</i>
	Soprano Pipistrelle	<i>Pipistrellus pygmaeus</i>
Mayflies	Southern Iron Blue	<i>Baetis niger</i>
		<i>Siphonurus armatus</i>
Molluscs	Depressed River Mussel	<i>Pseudanodonta complanata</i>
		<i>Pseudotrichia rubiginosa</i>
Mosses and liverworts	Brown's Four-tooth Moss	<i>Tetradontium brownianum</i>
	Cliff Scalewort	<i>Porella cordaeana</i>
	Curled Hookmoss	<i>Palustriella commutata</i>
	Drab Brook-moss	<i>Hygrohypnum luridum</i>
	Dwarf Flapwort	<i>Jungermannia pumila</i>
	Flagellate Feathermoss	<i>Hyocomium armoricum</i>
	Fountain Apple-moss	<i>Philonotis fontana</i>
	Greasewort	<i>Aneura pinguis</i>
	Handsome Woollywort	<i>Trichocolea tomentella</i>
	Pointed Lattice-moss	<i>Dialytrichia mucronata</i>
	Rusty Feathermoss	<i>Sciuro-hypnum plumosum</i>
	Shining Hookeria	<i>Hookeria lucens</i>
	Smaller Lattice-moss	<i>Cinclidotus fontinaloides</i>
	Spruce's Bristlemoss	<i>Orthotrichum sprucei</i>
	Stipular Flapwort	<i>Harpanthus scutatus</i>
	Transparent Forkmoss	<i>Dichodontium pellucidum</i>
	Water Earwort	<i>Scapania undulata</i>
	Wry-leaved Tamarisk-moss	<i>Heterocladium heteropterum</i>
Reptiles	Grass Snake	<i>Natrix helvetica</i>
Vascular plants	Arrowhead	<i>Sagittaria sagittifolia</i>
	Bearded Couch	<i>Elymus caninus</i>
	Bladder-sedge	<i>Carex vesicaria</i>
	Blue Water-Speedwell	<i>Veronica anagallis-aquatica</i>
	Bog Stitchwort	<i>Stellaria alsine</i>
	Bogbean	<i>Menyanthes trifoliata</i>
	Brackish Water-crowfoot	<i>Ranunculus baudotii</i>
	Brown Sedge	<i>Carex disticha</i>
	Common Spike-rush	<i>Eleocharis palustris</i>
	Common Water-crowfoot	<i>Ranunculus aquatilis</i>
	Creeping Forget-me-not	<i>Myosotis secunda</i>
	Cyperus Sedge	<i>Carex pseudocyperus</i>
	Elongated Sedge	<i>Carex elongata</i>
	Fan-leaved Water-crowfoot	<i>Ranunculus circinatus</i>
	Fine-leaved Water-dropwort	<i>Oenanthe aquatica</i>
	Flowering-rush	<i>Butomus umbellatus</i>
	Great Yellow-cress	<i>Rorippa amphibia</i>
	Greater Tussock-sedge	<i>Carex paniculata</i>

	Grey Club-rush	<i>Schoenoplectus tabernaemontani</i>
	Horned Pondweed	<i>Zannichellia palustris</i>
	Large Bitter-cress	<i>Cardamine amara</i>
	Lesser Water-parsnip	<i>Berula erecta</i>
	Marsh Valerian	<i>Valeriana dioica</i>
	Marsh Woundwort	<i>Stachys palustris</i>
	Marsh Yellow-cress	<i>Rorippa palustris</i>
	Marsh-mallow	<i>Althaea officinalis</i>
	Marsh-marigold	<i>Caltha palustris</i>
	Nodding Bur-marigold	<i>Bidens cernua</i>
	Opposite-leaved Golden-saxifrage	<i>Chrysosplenium oppositifolium</i>
	Opposite-leaved Pondweed	<i>Groenlandia densa</i>
	Pink Water-Speedwell	<i>Veronica catenata</i>
	Plicate Sweet-grass	<i>Glyceria notata</i>
	River Water-dropwort	<i>Oenanthe fluviatilis</i>
	Sea Aster	<i>Aster tripolium</i>
	Sea Club-rush	<i>Bolboschoenus maritimus</i>
	Sharp-flowered Rush	<i>Juncus acutiflorus</i>
	Shining Pondweed	<i>Potamogeton lucens</i>
	Skullcap	<i>Scutellaria galericulata</i>
	Slender Tufted-sedge	<i>Carex acuta</i>
	Small Teasel	<i>Dipsacus pilosus</i>
	Stream Water-crowfoot	<i>Ranunculus penicillatus</i>
	Thread-leaved Water-crowfoot	<i>Ranunculus trichophyllus</i>
	Trifid Bur-marigold	<i>Bidens tripartita</i>
	True Fox-sedge	<i>Carex vulpina</i>
	Tubular Water-dropwort	<i>Oenanthe fistulosa</i>
	Tufted Forget-me-not	<i>Myosotis laxa</i>
	Unbranched Bur-reed	<i>Sparganium emersum</i>
	Water Chickweed	<i>Myosoton aquaticum</i>
	Water Dock	<i>Rumex hydrolapathum</i>
	Water Whorl-grass	<i>Catabrosa aquatica</i>
	Whorled Water-milfoil	<i>Myriophyllum verticillatum</i>
	Wild Celery	<i>Apium graveolens</i>
	Yellow Loosestrife	<i>Lysimachia vulgaris</i>

Ponds and Lakes (Priority FW6)

Amphibians	Common Toad	<i>Bufo bufo</i>
	Great-crested newt	<i>Triturus cristatus</i>
Beetles	Great Silver Water Beetle	<i>Hydrophilus piceus</i>
	Ground beetle	<i>Acupalpus maculatus</i>
	Ground beetle	<i>Bembidion coeruleum</i>
	Ground beetle	<i>Bradycellus distinctus</i>
	Ground beetle	<i>Dyschirius angustatus</i>
	Ground beetle	<i>Dyschirius obscurus</i>
	Ground beetle	<i>Lionychus quadrillum</i>
	Scarce Four-dot Pin-palp ground beetle	<i>Bembidion quadripustulatum</i>
	Silt Silver-spot ground beetle	<i>Bracteon argenteolum</i>
	Sussex Diving Beetle	<i>Laccophilus poecilus</i>
	Water beetle	<i>Augyles hispidulus</i>
	Water beetle	<i>Augyles maritimus</i>
	Water beetle	<i>Aulacochthebius exaratus</i>
	Water beetle	<i>Dryops auriculatus</i>
	Water beetle	<i>Dytiscus dimidiatus</i>
	Water beetle	<i>Enochrus nigrinus</i>
	Water beetle	<i>Graphoderus cinereus</i>
	Water beetle	<i>Gyrinus suffriani</i>
	Water beetle	<i>Halplus variegatus</i>
	Water beetle	<i>Helochares obscurus</i>
	Water beetle	<i>Heterocerus fuscus</i>
	Water beetle	<i>Hydraena palustris</i>
	Water beetle	<i>Hydrochus crenatus</i>
	Water beetle	<i>Hydrochus elongatus</i>
	Water beetle	<i>Hydrochus ignicollis</i>
	Water beetle	<i>Hydroporus longicornis</i>
	Water beetle	<i>Limnebius crinifer</i>
	Water beetle	<i>Limnebius papposus</i>
	Water beetle	<i>Limnoxenus niger</i>
	Weevil	<i>Bagous nodulosus</i>
	Weevil	<i>Bagous nodulosus</i>
Birds	Black-necked Grebe	<i>Podiceps nigricollis</i> [br]
	Cattle Egret	<i>Bubulcus ibis</i> [n-br]
	Common Tern	<i>Sterna hirundo</i> [br]
	Cormorant	<i>Phalacrocorax carbo</i> [br]
	Great White Egret	<i>Ardea alba</i> [br]
	Grey Heron	<i>Ardea cinerea</i> [br]
	Kingfisher	<i>Alcedo atthis</i> [br]
	Little Egret	<i>Egretta garzetta</i> [br]
	Osprey	<i>Pandion haliaetus</i> [br]

	Pochard	<i>Aythya ferina</i> [br]
	Shoveler	<i>Spatula clypeata</i> {n-br}
Dragonflies and damselflies	Brilliant Emerald Dragonfly	<i>Somatochlora metallica</i>
	Downy Emerald	<i>Cordulia aenea</i>
	Scarce Chaser	<i>Libellula fulva</i>
Fish	European Eel	<i>Anguilla anguilla</i>
Flies		<i>Tachydromia terricola</i>
Mammals	Beaver	<i>Castor fiber</i>
	Brown Long-eared Bat	<i>Plecotus auritus</i>
	Eurasian Otter	<i>Lutra lutra</i>
	European Water Vole	<i>Arvicola amphibius</i>
	Nathusius's Pipistrelle	<i>Pipistrellus nathusii</i>
	Soprano Pipistrelle	<i>Pipistrellus pygmaeus</i>
Mayflies		<i>Siphonurus armatus</i>
Molluscs	Mud Pond Snail	<i>Omphiscola glabra</i>
	Ramshorn Snail	<i>Anisus vorticulus</i>
	Shining Ram's-horn	<i>Segmentina nitida</i>
Mosses and liverworts	Cavernous Crystalwort	<i>Riccia cavernosa</i>
	Dyffryn Bryum	<i>Bryum dyffrynense</i>
	Floating Crystalwort	<i>Riccia fluitans</i>
	Fringed Heartwort	<i>Ricciocarpos natans</i>
	Greasewort	<i>Aneura pinguis</i>
	Least Crystalwort	<i>Riccia subbirfurca</i>
	Sand Thread-moss	<i>Bryum warneum</i>
	Sessile Earth-moss	<i>Ephemerum sessile</i>
	Tree-moss	<i>Climacium dendroides</i>
		<i>Bryum pseudotriquetrum</i> agg.
Reptiles	Grass Snake	<i>Natrix helvetica</i>
True bugs	Lesser Water Measurer	<i>Hydrometra gracilentia</i>
Vascular plants	Arrowhead	<i>Sagittaria sagittifolia</i>
	Beaked Tasselweed	<i>Ruppia maritima</i>
	Bladder-sedge	<i>Carex vesicaria</i>
	Bladderwort	<i>Utricularia australis</i>
	Blue Water-Speedwell	<i>Veronica anagallis-aquatica</i>
	Blunt-flowered Rush	<i>Juncus subnodulosus</i>
	Bog Pondweed	<i>Potamogeton polygonifolius</i>
	Bogbean	<i>Menyanthes trifoliata</i>
	Brackish Water-crowfoot	<i>Ranunculus baudotii</i>
	Bristle Club-rush	<i>Isolepis setacea</i>
	Brown Sedge	<i>Carex disticha</i>
	Bulbous Rush	<i>Juncus bulbosus</i>
	Common Bladderwort	<i>Utricularia vulgaris</i>
	Common Spike-rush	<i>Eleocharis palustris</i>
	Common Water-crowfoot	<i>Ranunculus aquatilis</i>

Creeping Forget-me-not	<i>Myosotis secunda</i>
Cyperus Sedge	<i>Carex pseudocyperus</i>
Elongated Sedge	<i>Carex elongata</i>
Fan-leaved Water-crowfoot	<i>Ranunculus circinatus</i>
Fine-leaved Water-dropwort	<i>Oenanthe aquatica</i>
Flowering-rush	<i>Butomus umbellatus</i>
Frogbit	<i>Hydrocharis morsus-ranae</i>
Grass-poly	<i>Lythrum hyssopifolia</i>
Great Yellow-cress	<i>Rorippa amphibia</i>
Greater Tussock-sedge	<i>Carex paniculata</i>
Grey Club-rush	<i>Schoenoplectus tabernaemontani</i>
Hairlike Pondweed	<i>Potamogeton trichoides</i>
Horned Pondweed	<i>Zannichellia palustris</i>
Lesser Bulrush	<i>Typha angustifolia</i>
Lesser Water-parsnip	<i>Berula erecta</i>
Mare's-tail	<i>Hippuris vulgaris</i>
Marsh Horsetail	<i>Equisetum palustre</i>
Marsh Speedwell	<i>Veronica scutellata</i>
Marsh Willowherb	<i>Epilobium palustre</i>
Marsh Woundwort	<i>Stachys palustris</i>
Marsh Yellow-cress	<i>Rorippa palustris</i>
Marsh-mallow	<i>Althaea officinalis</i>
Marsh-marigold	<i>Caltha palustris</i>
Narrow-leaved Water-plantain	<i>Alisma lanceolatum</i>
Nodding Bur-marigold	<i>Bidens cernua</i>
Pink Water-Speedwell	<i>Veronica catenata</i>
Plicate Sweet-grass	<i>Glyceria notata</i>
Pond Water-crowfoot	<i>Ranunculus peltatus</i>
Rootless Duckweed	<i>Wolffia arrhiza</i>
Sea Club-rush	<i>Bolboschoenus maritimus</i>
Sea-milkwort	<i>Glaux maritima</i>
Sharp-flowered Rush	<i>Juncus acutiflorus</i>
Shining Pondweed	<i>Potamogeton lucens</i>
Skullcap	<i>Scutellaria galericulata</i>
Slender Tufted-sedge	<i>Carex acuta</i>
Small Sweet-grass	<i>Glyceria declinata</i>
Small Water-pepper	<i>Persicaria minor</i>
Soft Hornwort	<i>Ceratophyllum submersum</i>
Tasteless Water-pepper	<i>Persicaria mitis</i>
Thread-leaved Water-crowfoot	<i>Ranunculus trichophyllus</i>
Three-lobed Crowfoot	<i>Ranunculus tripartitus</i>
Trifid Bur-marigold	<i>Bidens tripartita</i>
True Fox-sedge	<i>Carex vulpina</i>
Tubular Water-dropwort	<i>Oenanthe fistulosa</i>

	Tufted Forget-me-not	<i>Myosotis laxa</i>
	Unbranched Bur-reed	<i>Sparganium emersum</i>
	Utricularia	<i>Utricularia</i>
	Water Dock	<i>Rumex hydrolapathum</i>
	Water Horsetail	<i>Equisetum fluviatile</i>
	Water Whorl-grass	<i>Catabrosa aquatica</i>
	Water-purslane	<i>Lythrum portula</i>
	Water-violet	<i>Hottonia palustris</i>
	Whorled Water-milfoil	<i>Myriophyllum verticillatum</i>
	Wild Celery	<i>Apium graveolens</i>
	Yellow Loosestrife	<i>Lysimachia vulgaris</i>

Lowland mire sites (fen and valley mires) (Priority FW7)

Bees, Wasps and Ants	Brown-banded Carder Bee	<i>Bombus humilis</i>
	Large Garden Bumblebee	<i>Bombus ruderratus</i>
	Moss Carder Bee	<i>Bombus muscorum</i>
	Red-shanked Carder Bee	<i>Bombus ruderrarius</i>
	Short Haired Bumble Bee	<i>Bombus subterraneus</i>
	Shrill Carder Bee	<i>Bombus sylvarum</i>
Beetles	Black Night-runner ground beetle	<i>Chlaenius tristis</i>
	Click beetle	<i>Adrastus rachifer</i>
	Crucifix Ground Beetle	<i>Panagaeus cruxmajor</i>
	Ground beetle	<i>Acupalpus brunnipes</i>
	Ground beetle	<i>Agonum scitulum</i>
	Ground beetle	<i>Tachyura walkeriana</i>
	Jumping Weevil	<i>Orchestes testaceus</i>
	Leaf beetle	<i>Ochrosis ventralis</i>
	Rove beetle	<i>Philonthus ebeninus</i>
	Water beetle	<i>Dryops auriculatus</i>
	Water beetle	<i>Dytiscus dimidiatus</i>
	Water beetle	<i>Enochrus nigrinus</i>
	Water beetle	<i>Eubria palustris</i>
	Water beetle	<i>Gyrinus suffriani</i>
	Water beetle	<i>Haliphus variegatus</i>
	Water beetle	<i>Helochares obscurus</i>
	Water beetle	<i>Hydraena palustris</i>
	Water beetle	<i>Hydrochus crenatus</i>
	Water beetle	<i>Limnebius papposus</i>
Birds	Avocet	<i>Recurvirostra avosetta</i> [br]
	Bittern	<i>Botaurus stellaris</i> [br]
	Black-necked Grebe	<i>Podiceps nigricollis</i> [br]
	Black-tailed Godwit	<i>Limosa limosa</i> [br]
	Black-winged Stilt	<i>Himantopus himantopus</i> [br]
	Cattle Egret	<i>Bubulcus ibis</i> [n-br]
	Crane	<i>Grus grus</i> [br]
	Garganey	<i>Spatula querquedula</i> [br]
	Glossy Ibis	<i>Plegadis falcinellus</i> [br]
	Grasshopper Warbler	<i>Locustella naevia</i> [br]
	Great White Egret	<i>Ardea alba</i> [br]
	Grey Heron	<i>Ardea cinerea</i> [br]
	Little Egret	<i>Egretta garzetta</i> [br]
	Pintail	<i>Anas acuta</i> [n-br]
	Pochard	<i>Aythya ferina</i> [br]
	Purple Heron	<i>Ardea purpurea</i> [br]
	Redshank	<i>Tringa totanus</i> [br]

	Reed Bunting	<i>Emberiza schoeniclus</i>
	Sedge Warbler	<i>Acrocephalus schoenobaenus [br]</i>
	Shoveler	<i>Spatula clypeata {br}</i>
	Snipe	<i>Gallinago gallinago [n-br]</i>
	Spoonbill	<i>Platalea leucorodia [br]</i>
	Spotted Crake	<i>Porzana porzana [br]</i>
	Wigeon	<i>Mareca penelope [n-br]</i>
Caddisflies		<i>Grammotaulius nitidus</i>
Dragonflies and damselflies	Dainty Damselfly	<i>Coenagrion scitulum</i>
	Norfolk Hawker	<i>Anaciaeschna isoceles</i>
	Scarce Chaser	<i>Libellula fulva</i>
	Scarce Emerald Damselfly	<i>Lestes dryas</i>
	Variable Damselfly	<i>Coenagrion pulchellum</i>
Fish	European Eel	<i>Anguilla anguilla</i>
Flies	Dark-winged Soldier	<i>Oxycera analis</i>
		<i>Dolichopus lineatocornis</i>
		<i>Rhaphium fascipes</i>
Fungi		<i>Agrocybe elatella</i>
		<i>Puccinia cladii</i>
Mammals	Beaver	<i>Castor fiber</i>
	Eurasian Otter	<i>Lutra lutra</i>
	European Water Vole	<i>Arvicola amphibius</i>
	Harvest Mouse	<i>Micromys minutus</i>
	Polecat	<i>Mustela putorius</i>
Millipedes	Kentish Snake Millipede	<i>Metaiulus pratensis</i>
Molluscs	Desmoulin's Whorl Snail	<i>Vertigo moulinsiana</i>
		<i>Succinella oblonga</i>
Mosses and liverworts	Bog Groove-moss	<i>Aulacomnium palustre</i>
	Bog Notchwort	<i>Odontoschisma fluitans</i>
	Curled Hookmoss	<i>Palustriella commutata</i>
	Crisped Forkmoss	<i>Dicranum bonjeanii</i>
	Feathery Bogmoss	<i>Sphagnum cuspidatum</i>
	Floating Hookmoss	<i>Warnstorfia fluitans</i>
	Forcipated Pincerwort	<i>Cephalozia connivens</i>
	Greasewort	<i>Aneura pinguis</i>
	Red Bogmoss	<i>Sphagnum rubellum</i>
	Soft Bogmoss	<i>Sphagnum tenellum</i>
	Spiky Bogmoss	<i>Sphagnum squarrosum</i>
	Straw Spearmoss	<i>Straminergon stramineum</i>
	Yellow Starry Feathermoss	<i>Campylium stellatum</i>
		<i>Bryum pseudotriquetrum agg.</i>
		<i>Sphagnum magellanicum agg.</i>
Moths	Bistort Borer	<i>Monochroa niphognatha</i>
	Crescent	<i>Helotropha leucostigma</i>

	Marsh Mallow Moth	<i>Hydraecia osseola</i>
	Shoulder-striped Wainscot	<i>Leucania comma</i>
Reptiles	Grass Snake	<i>Natrix helvetica</i>
Spiders		<i>Cozyptila blackwalli</i>
True bugs	Lesser Water Measurer	<i>Hydrometra gracilentata</i>
		<i>Pachybrachius luridus</i>
Vascular plants	Bladderwort	<i>Utricularia australis</i>
	Blunt-flowered Rush	<i>Juncus subnodulosus</i>
	Bog Pimpernel	<i>Anagallis tenella</i>
	Bog Pondweed	<i>Potamogeton polygonifolius</i>
	Bog Stitchwort	<i>Stellaria alsine</i>
	Bogbean	<i>Menyanthes trifoliata</i>
	Brown Sedge	<i>Carex disticha</i>
	Carnation Sedge	<i>Carex panicea</i>
	Common Bladderwort	<i>Utricularia vulgaris</i>
	Common Sedge	<i>Carex nigra</i>
	Common Spike-rush	<i>Eleocharis palustris</i>
	Common Valerian	<i>Valeriana officinalis</i>
	Creeping Forget-me-not	<i>Myosotis secunda</i>
	Creeping-Jenny	<i>Lysimachia nummularia</i>
	Cyperus Sedge	<i>Carex pseudocyperus</i>
	Devil's-bit Scabious	<i>Succisa pratensis</i>
	Fen Bedstraw	<i>Galium uliginosum</i>
	Flat-stalked Pondweed	<i>Potamogeton friesii</i>
	Greater Tussock-sedge	<i>Carex paniculata</i>
	Heath Spotted-orchid	<i>Dactylorhiza maculata</i>
	Lesser Skullcap	<i>Scutellaria minor</i>
	Lesser Spearwort	<i>Ranunculus flammula</i>
	Lesser Water-plantain	<i>Baldellia ranunculoides</i>
	Lousewort	<i>Pedicularis sylvatica</i>
	Marsh Pennywort	<i>Hydrocotyle vulgaris</i>
	Marsh Speedwell	<i>Veronica scutellata</i>
	Marsh Stitchwort	<i>Stellaria palustris</i>
	Marsh Valerian	<i>Valeriana dioica</i>
	Marsh Violet	<i>Viola palustris</i>
	Marsh Willowherb	<i>Epilobium palustre</i>
	Marsh-marigold	<i>Caltha palustris</i>
	Marsh-marigold	<i>Caltha palustris</i>
	Narrow Buckler-fern	<i>Dryopteris carthusiana</i>
	Opposite-leaved Pondweed	<i>Groenlandia densa</i>
	Ragged-Robin	<i>Silene flos-cuculi</i>
	Skullcap	<i>Scutellaria galericulata</i>
	Smooth-stalked Sedge	<i>Carex laevigata</i>
	Sneezewort	<i>Achillea ptarmica</i>

	Star Sedge	<i>Carex echinata</i>
	Tubular Water-dropwort	<i>Oenanthe fistulosa</i>
	Tufted Forget-me-not	<i>Myosotis laxa</i>
	Tufted-sedge	<i>Carex elata</i>
	Utricularia	<i>Utricularia</i>
	Whorled Water-milfoil	<i>Myriophyllum verticillatum</i>
	Yellow Loosestrife	<i>Lysimachia vulgaris</i>

Reedbeds (Priority FW8)

Beetles	Water beetle	<i>Hydraena palustris</i>
	Water beetle	<i>Hydrochus elongatus</i>
	Water beetle	<i>Hydrochus ignicollis</i>
	Water beetle	<i>Limnebius papposus</i>
Birds	Bearded Tit	<i>Panurus biarmicus</i> [br]
	Bittern	<i>Botaurus stellaris</i> [br]
	Cuckoo	<i>Cuculus canorus</i> [br]
	Great White Egret	<i>Ardea alba</i> [br]
	Marsh Harrier	<i>Circus aeruginosus</i> [br]
	Purple Heron	<i>Ardea purpurea</i> [br]
	Reed Bunting	<i>Emberiza schoeniclus</i>
	Sedge Warbler	<i>Acrocephalus schoenobaenus</i> [br]
	Spotted Crake	<i>Porzana porzana</i> [br]
Caddisflies		<i>Grammotaulius nitidus</i>
Flies		<i>Elachiptera rufifrons</i>
		<i>Erioptera bivittata</i>
		<i>Sphaerophoria loewi</i>
Mammals	Beaver	<i>Castor fiber</i>
	Eurasian Otter	<i>Lutra lutra</i>
	European Water Vole	<i>Arvicola amphibius</i>
	Harvest Mouse	<i>Micromys minutus</i>
Moths	Crescent	<i>Helotropha leucostigma</i>
Spiders		<i>Clubiona juvenis</i>

Urban habitats

Urban habitats (Priorities URB1, URB2 and URB3)

Amphibians	Common Toad	<i>Bufo bufo</i>
Bees, Wasps and Ants	Brown-banded Carder Bee	<i>Bombus humilis</i>
	Large Garden Bumblebee	<i>Bombus ruderatus</i>
	Moss Carder Bee	<i>Bombus muscorum</i>
	Red-shanked Carder Bee	<i>Bombus ruderarius</i>
	Shrill Carder Bee	<i>Bombus sylvarum</i>
	Short Haired Bumble Bee	<i>Bombus subterraneus</i>
Birds	Barn Owl	<i>Tyto alba [br]</i>
	Black Redstart	<i>Phoenicurus ochruros [br]</i>
	Great Black-backed Gull	<i>Larus marinus [br]</i>
	Herring Gull	<i>Larus argentatus [br]</i>
	House Martin	<i>Delichon urbicum [br]</i>
	Lesser Black-backed Gull	<i>Larus fuscus [br]</i>
	Little Owl	<i>Athene noctua [br]</i>
	Peregrine	<i>Falco peregrinus [br]</i>
	Raven	<i>Corvus corax [br]</i>
	Starling	<i>Sturnus vulgaris [br]</i>
	Swallow	<i>Hirundo rustica [br]</i>
	Swift	<i>Apus apus [br]</i>
Grasshoppers, crickets and allies	House cricket	<i>Acheta domesticus</i>
Lichens		<i>Chaenotheca phaeocephala</i>
		<i>Cyphelium notarisii</i>
		<i>Ramboldia insidiosa</i>
		<i>Vulpicida pinastri</i>
Mammals	Brown Long-eared Bat	<i>Plecotus auritus</i>
	Greater Horseshoe Bat	<i>Rhinolophus ferrumequinum</i>
	Hazel Dormouse	<i>Muscardinus avellanarius</i>
	Leisler's Bat	<i>Nyctalus leisleri</i>
	Lesser Horseshoe Bat	<i>Rhinolophus hipposideros</i>
	Noctule Bat	<i>Nyctalus noctula</i>
	Serotine	<i>Eptesicus serotinus</i>
	West European Hedgehog	<i>Erinaceus europaeus</i>

Mosses and liverworts	Common Apple-moss	<i>Bartramia pomiformis</i>
	Cliff Scalewort	<i>Porella cordaeana</i>
	Hemisphaeric Liverwort	<i>Reboulia hemisphaerica</i>
	Smaller Lattice-moss	<i>Cinclidotus fontinaloides</i>
	Hoary Grimmia	<i>Grimmia laevigata</i>
	North Grimmia	<i>Grimmia longirostris</i>
Moths	Yellow-spot Concealer	<i>Borkhausenia minutella</i>
Vascular plants	Dark Mullein	<i>Verbascum nigrum</i>
	Fine-leaved Sandwort	<i>Minuartia hybrida</i>
	Meadow Saxifrage	<i>Saxifraga granulata</i>
	Stinking Goosefoot	<i>Chenopodium vulvaria</i>
	Wall Bedstraw	<i>Galium parisiense</i>
	White Mullein	<i>Verbascum lychnitis</i>
	Wild Clary	<i>Salvia verbenaca</i>

Coastal habitats

Estuary and open coast (Priority CL1)

Annelid	Ross worm (reefs)	<i>Sabellaria spinulosa</i>
Bees, Wasps and Ants	Four-banded Weevil-wasp	<i>Cerceris quadricincta</i>
	Long-horned Bee	<i>Eucera longicornis</i>
Beetles	Ground beetle	<i>Ophonus cordatus</i>
	Ground beetle	<i>Ophonus parallelus</i>
	Ground beetle	<i>Ophonus puncticollis</i>
	Leaf beetle	<i>Longitarsus aeruginosus</i>
	Mellet's Downy-back ground beetle	<i>Ophonus melletii</i>
	Rove beetle	<i>Halobrecta princeps</i>
	Weevil	<i>Hypera pastinacae</i>
Birds	Bar-tailed Godwit	<i>Limosa lapponica</i> [n-br]
	Black Redstart	<i>Phoenicurus ochruros</i> [br]
	Black-headed Gull	<i>Chroicocephalus ridibundus</i> [br]
	Black-tailed Godwit	<i>Limosa limosa</i> [n-br]
	Common Gull	<i>Larus canus</i> [br]
	Curlew	<i>Numenius arquata</i> [n-br]
	Dunlin	<i>Calidris alpina</i> [n-br]
	Fulmar	<i>Fulmarus glacialis</i> [br]
	Great Black-backed Gull	<i>Larus marinus</i> [br]
	Grey Plover	<i>Pluvialis squatarola</i> [n-br]
	Herring Gull	<i>Larus argentatus</i> [br]
	Kentish Plover	<i>Charadrius alexandrinus</i> [br]
	Kestrel	<i>Falco tinnunculus</i> [br]
	Knot	<i>Calidris canutus</i> [n-br]
	Lesser Black-backed Gull	<i>Larus fuscus</i> [br]
	Little Ringed Plover	<i>Charadrius dubius</i> {br}
	Little Tern	<i>Sternula albifrons</i> [br]
	Mediterranean Gull	<i>Ichthyaetus melanocephalus</i> [br]
	Oystercatcher	<i>Haematopus ostralegus</i> [br]
	Peregrine	<i>Falco peregrinus</i> [br]
	Purple Sandpiper	<i>Calidris maritima</i> [n-br]
	Raven	<i>Corvus corax</i> [br]
	Red-billed Chough	<i>Pyrrhocorax pyrrhocorax</i> [br]
	Redshank	<i>Tringa totanus</i> [n-br]
	Ringed Plover	<i>Charadrius hiaticula</i> [n-br]
	Sand Martin	<i>Riparia riparia</i> [br]
	Sanderling	<i>Calidris alba</i> [n-br]
	Sandwich Tern	<i>Sterna sandvicensis</i> [br]
	Shelduck	<i>Tadorna tadorna</i> [n-br]
	Turnstone	<i>Arenaria interpres</i> [n-br]

	White-tailed Eagle	<i>Haliaeetus albicilla [br]</i>
Cnidarian	Stalked jellyfish	<i>Calvadosia campanulata</i>
	Stalked jellyfish	<i>Calvadosia cruxmelitensis</i>
	Stalked jellyfish	<i>Haliclystus auricula s.lat.</i>
Flies	Cliff Stiletto	<i>Thereva strigata</i>
		<i>Labigastera forcipata</i>
Fungi		<i>Puccinia bupleuri</i>
		<i>Puccinia rugulosa</i>
Grasshoppers, crickets and allies	Lesne's Earwig	<i>Forficula lesnei</i>
Molluscs	Blue mussel (reefs)	<i>Mytilus edulis</i>
Moths	Dew Moth	<i>Setina irrorella</i>
	Estuarine Buff	<i>Agonopterix putridella</i>
	Fiery Clearwing	<i>Pyropteron chrysidiformes</i>
	Fisher's Estuarine Moth	<i>Gortyna borellii</i>
	Red-headed Bee Moth	<i>Cephimallota crassiflavella</i>
	Sub-angled Wave	<i>Scopula nigropunctata</i>
Reptiles	Leathery Turtle	<i>Dermochelys coriacea</i>
Spiders		<i>Zodarion vicinum</i>
Vascular plants	Babington's Orache	<i>Atriplex glabriuscula</i>
	Carline Thistle	<i>Carlina vulgaris</i>
	Curved Hard-grass	<i>Parapholis incurva</i>
	Early Spider-orchid	<i>Ophrys sphegodes</i>
	Frosted Orache	<i>Atriplex laciniata</i>
	Goldenrod	<i>Solidago virgaurea</i>
	Golden-samphire	<i>Inula crithmoides</i>
	Greater Knapweed	<i>Centaurea scabiosa</i>
	Greater Sea-spurrey	<i>Spergularia media</i>
	Hog's Fennel	<i>Peucedanum officinale</i>
	Juniper	<i>Juniperus communis</i>
	Kidney Vetch	<i>Anthyllis vulneraria</i>
	Nottingham Catchfly	<i>Silene nutans</i>
	Oxtongue Broomrape	<i>Orobanche picridis</i>
	Ray's Knotgrass	<i>Polygonum oxyspermum</i>
	Rock Samphire	<i>Crithmum maritimum</i>
	Rock Sea-lavender	<i>Limonium binervosum</i>
	Sea Carrot	<i>Daucus carota subsp. gummifer</i>
	Sea Clover	<i>Trifolium squamosum</i>
	Sea Fern-grass	<i>Catapodium marinum</i>
	Sea Plantain	<i>Plantago maritima</i>
	Sea-heath	<i>Frankenia laevis</i>
	Sea-kale	<i>Crambe maritima</i>
	Shaggy Mouse-ear-hawkweed	<i>Pilosella peleteriana</i>
	Squinancywort	<i>Asperula cynanchica</i>

	Wild Cabbage	<i>Brassica oleracea</i>
	Yellow-wort	<i>Blackstonia perfoliata</i>

Saltmarsh and mudflats (Priority CL2)

Bees, Wasps and Ants	Sea Aster Bee	<i>Colletes halophilus</i>
Beetles	Ant-like Flower beetle	<i>Cyclodinus salinus</i>
	Darkling beetle and allies	<i>Mordellistena nanuloides</i>
	Ground beetle	<i>Amara strenua</i>
	Ground beetle	<i>Anisodactylus poeciloides</i>
	Ground beetle	<i>Badister meridionalis</i>
	Leaf beetle	<i>Longitarsus absynthii</i>
	Leaf beetle	<i>Macrolea mutica</i>
	Rove beetle	<i>Ochtheophilum jacquelinii</i>
	Soft-winged Flower beetle	<i>Clanoptilus marginellus</i>
	Soft-winged Flower beetle	<i>Clanoptilus strangulatus</i>
	Water beetle	<i>Berosus fulvus</i>
	Weevil	<i>Bagous argillaceus</i>
	Weevil	<i>Cosmobaris scolopacea</i>
Birds	Avocet	<i>Recurvirostra avosetta</i> [n-br]
	Bar-tailed Godwit	<i>Limosa lapponica</i> [n-br]
	Black-headed Gull	<i>Chroicocephalus ridibundus</i> [br]
	Black-tailed Godwit	<i>Limosa limosa</i> [n-br]
	Brent Goose	<i>Branta bernicla</i> [n-br]
	Common Tern	<i>Sterna hirundo</i> [br]
	Curlew	<i>Numenius arquata</i> [n-br]
	Dunlin	<i>Calidris alpina</i> [n-br]
	Great Black-backed Gull	<i>Larus marinus</i> [br]
	Grey Plover	<i>Pluvialis squatarola</i> [n-br]
	Herring Gull	<i>Larus argentatus</i> [br]
	Kentish Plover	<i>Charadrius alexandrinus</i> [br]
	Knot	<i>Calidris canutus</i> [n-br]
	Lapwing	<i>Vanellus vanellus</i> [n-br]
	Lesser Black-backed Gull	<i>Larus fuscus</i> [br]
	Mediterranean Gull	<i>Ichthyaetus melanocephalus</i> [br]
	Pintail	<i>Anas acuta</i> [n-br]
	Redshank	<i>Tringa totanus</i> [n-br]
	Ringed Plover	<i>Charadrius hiaticula</i> [br]
	Sanderling	<i>Calidris alba</i> [n-br]
	Shelduck	<i>Tadorna tadorna</i> [br]
	Shoveler	<i>Spatula clypeata</i> {n-br}
	Turnstone	<i>Arenaria interpres</i> [n-br]
	Wigeon	<i>Mareca penelope</i> [n-br]
Flies	Fancy-legged Fly	<i>Campsicnemus magius</i>
	Striped Horsefly	<i>Hybomitra expollicata</i>
		<i>Lejops vittatus</i>
		<i>Poecilobothrus ducalis</i>

Moths	Ear Moth	<i>Amphipoea oculea</i>
	Goldilocks Case-bearer	<i>Coleophora linosyridella</i>
	Kent Blite Case-bearer	<i>Coleophora aestuariella</i>
	Scarce Saltern Case-bearer	<i>Coleophora vibicigerella</i>
Spiders	Duffey's Bell-head Spider	<i>Praestigia duffeyi</i>
	Yellow-striped Bear-spider	<i>Arctosa fulvolineata</i>
		<i>Zelotes longipes</i>
True bugs	Sea-wormwood Leafhopper	<i>Chlorita viridula</i>
		<i>Henestaris halophilus</i>
		<i>Orthotylus rubidus</i>
Vascular plants	Annual Sea-blite	<i>Suaeda maritima</i>
	Borrer's Saltmarsh-grass	<i>Puccinellia fasciculata</i>
	Common Glasswort	<i>Salicornia europaea</i>
	Common Saltmarsh-grass	<i>Puccinellia maritima</i>
	Common Sea-lavender	<i>Limonium vulgare</i>
	Curved Hard-grass	<i>Parapholis incurva</i>
	Dwarf Eelgrass	<i>Zostera noltei</i>
	Eelgrass	<i>Zostera marina</i>
	English Scurvygrass	<i>Cochlearia anglica</i>
	Frosted Orache	<i>Atriplex laciniata</i>
	Golden-samphire	<i>Inula crithmoides</i>
	Greater Sea-spurrey	<i>Spergularia media</i>
	Hard-grass	<i>Parapholis strigosa</i>
	Least Lettuce	<i>Lactuca saligna</i>
	Long-spiked Glasswort	<i>Salicornia dolichostachya</i>
	One-flowered Glasswort	<i>Salicornia pusilla</i>
	Perennial Glasswort	<i>Sarcocornia perennis</i>
	Purple Glasswort	<i>Salicornia ramosissima</i>
	Rock Sea-lavender	<i>Limonium binervosum</i>
	Saltmarsh Goosefoot	<i>Chenopodium chenopodioides</i>
	Saltmarsh Rush	<i>Juncus gerardii</i>
	Sea Arrowgrass	<i>Triglochin maritimum</i>
	Sea Aster	<i>Aster tripolium</i>
	Sea Clover	<i>Trifolium squamosum</i>
	Sea Club-rush	<i>Bolboschoenus maritimus</i>
	Sea Pink	<i>Armeria maritima</i>
	Sea Plantain	<i>Plantago maritima</i>
	Sea Rush	<i>Juncus maritimus</i>
	Sea Wormwood	<i>Seriphidium maritimum</i>
	Sea-milkwort	<i>Glaux maritima</i>
	Small Cord-grass	<i>Spartina maritima</i>
	Wild Celery	<i>Apium graveolens</i>
	Yellow Glasswort	<i>Salicornia fragilis</i>

Seagrass beds (Priority CL3)

Birds	Brent Goose	<i>Branta bernicla [n-br]</i>
Fish	Short-snouted seahorse	<i>Hippocampus hippocampus</i>
	Spiny seahorse	<i>Hippocampus guttulatus</i>
Vascular plants	Dwarf Eelgrass	<i>Zostera noltei</i>
	Eelgrass	<i>Zostera marina</i>

Native Oyster and Blue Mussel reefs (Priority CL5)

Molluscs	Blue mussel (reefs)	<i>Mytilus edulis</i>
	Native oyster	<i>Ostrea edulis</i>

Saline Lagoons (Priority CL6)

Annelid	Tentacled lagoon worm	<i>Alkmaria romijni</i>
Beetles	Ground beetle	<i>Badister meridionalis</i>
	Leaf beetle	<i>Macroplea mutica</i>
	Water beetle	<i>Berosus fulvus</i>
	Weevil	<i>Bagous argillaceus</i>
Birds	Avocet	<i>Recurvirostra avosetta</i> [br]
	Avocet	<i>Recurvirostra avosetta</i> [n-br]
	Black-headed Gull	<i>Chroicocephalus ridibundus</i> [br]
	Brent Goose	<i>Branta bernicla</i> [n-br]
	Common Tern	<i>Sterna hirundo</i> [br]
	Goldeneye	<i>Bucephala clangula</i> [n-br]
	Kentish Plover	<i>Charadrius alexandrinus</i> [br]
	Little Ringed Plover	<i>Charadrius dubius</i> {br}
	Little Tern	<i>Sternula albifrons</i> [br]
	Mediterranean Gull	<i>Ichthyaetus melanocephalus</i> [br]
	Pintail	<i>Anas acuta</i> [n-br]
	Pochard	<i>Aythya ferina</i> [n-br]
	Redshank	<i>Tringa totanus</i> [n-br]
	Ringed Plover	<i>Charadrius hiaticula</i> [br]
	Ringed Plover	<i>Charadrius hiaticula</i> [n-br]
	Sandwich Tern	<i>Sterna sandvicensis</i> [br]
	Shelduck	<i>Tadorna tadorna</i> [n-br]
	Shoveler	<i>Spatula clypeata</i> {n-br}
Molluscs	Lagoon Spire Snail	<i>Semisalsa stagnorum</i>
		<i>Hydrobia acuta neglecta</i>
Vascular plants	Spiral Tasselweed	<i>Ruppia cirrhosa</i>

Vegetated shingle (Priority CL7)

Annelid	Medicinal Leach	<i>Hirudo medicinalis</i>
Bees, Wasps and Ants	Dark Guest Ant	<i>Anergates atratulus</i>
	Long-spined Ant	<i>Temnothorax interruptus</i>
Beetles	Darkling beetle and allies	<i>Anthicus bimaculatus</i>
	Ground beetle	<i>Acupalpus maculatus</i>
	Ground beetle	<i>Bembidion coeruleum</i>
	Ground beetle	<i>Bembidion nigropiceum</i>
	Ground beetle	<i>Bradycellus distinctus</i>
	Ground beetle	<i>Dyschirius angustatus</i>
	Ground beetle	<i>Dyschirius obscurus</i>
	Ground beetle	<i>Harpalus servus</i>
	Ground beetle	<i>Omophron limbatum</i>
	Ground beetle	<i>Ophonus parallelus</i>
	Ground beetle	<i>Philorhizus vectensis</i>
	Ground beetle	<i>Polistichus connexus</i>
	Kentish Clown	<i>Hister quadrimaculatus</i>
	Larder beetle	<i>Dermestes undulatus</i>
	Leaf beetle	<i>Dibolia cynoglossi</i>
	Pill beetle	<i>Curimopsis setigera</i>
	Rove beetle	<i>Anotylus clypeonitens</i>
	Rove beetle	<i>Gabrius exiguus</i>
	Rove beetle	<i>Ischnosoma longicorne</i>
	Scarab beetle	<i>Psammodius asper</i>
	Silt Silver-spot ground beetle	<i>Bracteon argenteolum</i>
	Soft-winged Flower beetle	<i>Clanoptilus marginellus</i>
	Water beetle	<i>Augyles hispidulus</i>
	Water beetle	<i>Augyles maritimus</i>
	Water beetle	<i>Heterocerus fuscus</i>
	Water beetle	<i>Hydrochus crenatus</i>
	Weevil	<i>Acentrotypus brunnipes</i>
	Weevil	<i>Ethelcus verrucatus</i>
	Weevil	<i>Limobius mixtus</i>
	Weevil	<i>Smicronyx coecus</i>
Birds	Common Gull	<i>Larus canus</i> [br]
	Kentish Plover	<i>Charadrius alexandrinus</i> [br]
	Little Ringed Plover	<i>Charadrius dubius</i> {br}
	Oystercatcher	<i>Haematopus ostralegus</i> [br]
	Ringed Plover	<i>Charadrius hiaticula</i> [br]
	Stone-curlew	<i>Burhinus oedicephalus</i> [br]
	Wheatear	<i>Oenanthe oenanthe</i> [br]
Flies	Large Plain Stiletto	<i>Thereva cinifera</i>
		<i>Polyodaspis sulcicollis</i>

		<i>Sarcophaga uliginosa</i>
		<i>Tachydromia terricola</i>
Fungi		<i>Morchella esculenta</i>
		<i>Morchella vulgaris</i>
Grasshoppers, crickets and allies	Mottled Grasshopper	<i>Myrmeleotettix maculatus</i>
Lichens		<i>Caloplaca atroflava</i>
		<i>Cladonia mitis</i>
		<i>Rinodina aspersa</i>
Mammals	Brown Hare	<i>Lepus europaeus</i>
Mosses and liverworts	Broad Scalewort	<i>Porella obtusata</i>
	Dyffryn Bryum	<i>Bryum dyffrynense</i>
	Glittering Woodmoss	<i>Hylocomium splendens</i>
	Many-seasoned Threadmoss	<i>Bryum intermedium</i>
	Pendulous Wing-moss	<i>Antitrichia curtipendula</i>
	Sand Thread-moss	<i>Bryum warneum</i>
	Short-beaked Woodmoss	<i>Loeskeobryum brevirostre</i>
	Tamarisk Scalewort	<i>Frullania tamarisci</i>
	Tree-moss	<i>Climacium dendroides</i>
	Yellow Crisp-moss	<i>Tortella flavovirens</i>
		<i>Bryum pseudotriquetrum</i> agg.
Moths	Broad-barred White	<i>Hecatera bicolorata</i>
	Burnet Rose Tortrix	<i>Acleris permutana</i>
	Catchfly Case-bearer	<i>Coleophora galbulipennella</i>
	Dungeness Parornix	<i>Parornix atripalpella</i>
	Fiery Clearwing	<i>Pyropteron chrysidiformes</i>
	Galium Carpet	<i>Epirrhoe galiata</i>
	Pigmy Footman	<i>Eilema pygmaeola</i>
	Rest Harrow	<i>Aplasta ononaria</i>
	Sandhill Dot	<i>Stigmella zelleriella</i>
	Scarce Chocolate-tip	<i>Clostera anachoreta</i>
	Sea Holly Brown	<i>Agonopterix cnicella</i>
	Sea Spurge Tortrix	<i>Acroclita subsequana</i>
	Seathorn Spinner	<i>Gelechia hippophaella</i>
	Silver-striped Straw	<i>Aethes margaritana</i>
	Sussex Emerald	<i>Thalera fimbrialis</i>
	Water Dock Case-bearer	<i>Coleophora hydrolapathella</i>
	White Spot	<i>Hadena albimacula</i>
	White-marked Bugloss Moth	<i>Tinagma balteolella</i>
	White-spot Groundling	<i>Neofriseria peliella</i>
	Wight Pea Moth	<i>Grapholita gemmiferana</i>
Spiders	Whelk-shell Jumper	<i>Pseudeuophrys obsoleta</i>
		<i>Acartauchenius scurrilis</i>
		<i>Apostenus fuscus</i>

		<i>Iberina candida</i>
		<i>Lathys stigmatisata</i>
		<i>Neon pictus</i>
		<i>Pellenes tripunctatus</i>
		<i>Phlegra fasciata</i>
True bugs		<i>Aphrodes duffieldi</i>
		<i>Monosynamma maritimum</i>
		<i>Pilophorus confusus</i>
Vascular plants	Babington's Orache	<i>Atriplex glabriuscula</i>
	Bird's-foot Clover	<i>Trifolium ornithopodioides</i>
	Blinks	<i>Montia fontana</i>
	Bulbous Meadow-grass	<i>Poa bulbosa</i>
	Burnet Rose	<i>Rosa spinosissima</i>
	Carlina Thistle	<i>Carlina vulgaris</i>
	Climbing Corydalis	<i>Ceratocapnos claviculata</i>
	Common Cudweed	<i>Filago germanica</i>
	Common Restharrow	<i>Ononis repens</i>
	Creeping Willow	<i>Salix repens</i>
	Curved Hard-grass	<i>Parapholis incurva</i>
	Dodder	<i>Cuscuta epithymum</i>
	Dune Fescue	<i>Vulpia fasciculata</i>
	Early Forget-me-not	<i>Myosotis ramosissima</i>
	Fine-leaved Sheep's-fescue	<i>Festuca filiformis</i>
	Frosted Orache	<i>Atriplex laciniata</i>
	Heath Groundsel	<i>Senecio sylvaticus</i>
	Hound's-tongue	<i>Cynoglossum officinale</i>
	Marsh Pennywort	<i>Hydrocotyle vulgaris</i>
	Narrow-leaved Vetch	<i>Vicia sativa subsp. nigra</i>
	Nottingham Catchfly	<i>Silene nutans</i>
	Ray's Knotgrass	<i>Polygonum oxyspermum</i>
	Red Hemp nettle	<i>Galeopsis angustifolia</i>
	Rock Samphire	<i>Crithmum maritimum</i>
	Rough Clover	<i>Trifolium scabrum</i>
	Saltwort	<i>Salsola kali</i>
	Sand Cat's-tail	<i>Phleum arenarium</i>
	Sand Couch	<i>Elytrigia juncea</i>
	Sea Bindweed	<i>Calystegia soldanella</i>
	Sea Campion	<i>Silene uniflora</i>
	Sea Fern-grass	<i>Catapodium marinum</i>
	Sea Mouse-ear	<i>Cerastium diffusum</i>
	Sea Pea	<i>Lathyrus japonicus</i>
	Sea Pink	<i>Armeria maritima</i>
	Sea Rocket	<i>Cakile maritima</i>
	Sea Sandwort	<i>Honckenya peploides</i>

	Sea Spurge	<i>Euphorbia paralias</i>
	Sea-holly	<i>Eryngium maritimum</i>
	Sea-kale	<i>Crambe maritima</i>
	Sheep's-fescue	<i>Festuca ovina</i>
	Shepherd's Cress	<i>Teesdalia nudicaulis</i>
	Small-flowered Buttercup	<i>Ranunculus parviflorus</i>
	Small-flowered Catchfly	<i>Silene gallica</i>
	Smooth Cat's-ear	<i>Hypochaeris glabra</i>
	Spring Vetch	<i>Vicia lathyroides</i>
	Stinking Hawk's-beard	<i>Crepis foetida</i>
	Subterranean Clover	<i>Trifolium subterraneum</i>
	Suffocated Clover	<i>Trifolium suffocatum</i>
	Toothed Medick	<i>Medicago polymorpha</i>
	Upright Chickweed	<i>Moenchia erecta</i>
	Wild Clary	<i>Salvia verbenaca</i>
	Yellow Horned-poppy	<i>Glaucium flavum</i>
	Yellow-vetch	<i>Vicia lutea</i>

Sand dunes (Priority CL8)

Amphibians	Natterjack Toad	<i>Epidalea calamita</i>
Bees, Wasps and Ants	Black-headed Mason Wasp	<i>Odynerus melanocephalus</i>
	Dark Guest Ant	<i>Anergates atratulus</i>
	Four-banded Weevil-wasp	<i>Cerceris quadricincta</i>
	Long-spined Ant	<i>Temnothorax interruptus</i>
Beetles	Click beetle	<i>Melanotus punctolineatus</i>
	Darkling beetle and allies	<i>Anthicus bimaculatus</i>
	Dune Tiger Beetle	<i>Cicindela maritima</i>
	East Coast Dune-walker	<i>Hypocaccus metallicus</i>
	Ground beetle	<i>Amara infima</i>
	Ground beetle	<i>Amara spreta</i>
	Ground beetle	<i>Bembidion nigropiceum</i>
	Ground beetle	<i>Diachromus germanus</i>
	Ground beetle	<i>Dyschirius angustatus</i>
	Ground beetle	<i>Harpalus servus</i>
	Ground beetle	<i>Omophron limbatum</i>
	Ground beetle	<i>Ophonus cordatus</i>
	Ground beetle	<i>Ophonus puncticollis</i>
	Larder beetle	<i>Dermestes undulatus</i>
	Leaf beetle	<i>Dibolia cynoglossi</i>
	Pill beetle	<i>Curimopsis setigera</i>
	Rove beetle	<i>Gabrieus exiguus</i>
	Rove beetle	<i>Ischnosoma longicorne</i>
	Scarab beetle	<i>Geotrupes mutator</i>
	Scarab beetle	<i>Melinopterus consputus</i>
	Scarab beetle	<i>Psammodius asper</i>
	Scarce Mirror Clown	<i>Saprinus immundus</i>
	Weevil	<i>Acentrotypus brunnipes</i>
	Weevil	<i>Ethelcus verrucatus</i>
	Weevil	<i>Limobius mixtus</i>
	Welsh Dune-walker	<i>Hypocaccus rugifrons</i>
Flies	Small Plain Stiletto	<i>Thereva fulva</i>
		<i>Gonia capitata</i>
		<i>Gymnosoma nitens</i>
		<i>Leucophora sponso</i>
		<i>Litophasia hyalipennis</i>
		<i>Paragus albifrons</i>
Fungi	Marram Oysterling	<i>Campanella caesia</i>
		<i>Hohenbuehelia culmicola</i>
		<i>Inocybe vulpinella</i>
		<i>Leucoagaricus barssii</i>
		<i>Morchella esculenta</i>

		<i>Morchella vulgaris</i>
		<i>Omphalina galericolor</i>
Grasshoppers, crickets and allies	Mottled Grasshopper	<i>Myrmeleotettix maculatus</i>
Lichens		<i>Cladonia uncialis subsp. uncialis</i>
Molluscs	Carthusian Snail	<i>Monacha cartusiana</i>
Mosses and liverworts	Greasewort	<i>Aneura pinguis</i>
	Side-fruited Crisp-moss	<i>Tortella squarrosa</i>
	Tamarisk Scalewort	<i>Frullania tamarisci</i>
	Yellow Crisp-moss	<i>Tortella flavovirens</i>
Moths	Bright Wave	<i>Idaea ochrata</i>
	Broad-barred White	<i>Hecatera bicolorata</i>
	Burnet Rose Tortrix	<i>Acleris permutana</i>
	Deep-brown Dart	<i>Aporophyla lutulenta</i>
	Forester	<i>Adscita statices</i>
	Galium Carpet	<i>Epirrhoe galiata</i>
	Horehound Long-horn	<i>Nemophora fasciella</i>
	Kent Straw	<i>Cochylimorpha alternana</i>
	Latticed Heath	<i>Chiasmia clathrata</i>
	Mouse Moth	<i>Amphipyra tragopoginis</i>
	Mouse-ear Case-bearer	<i>Coleophora chalcogrammella</i>
	Pigmy Footman	<i>Eilema pygmaeola</i>
	Red-headed Bee Moth	<i>Cephimallota crassiflavella</i>
	Rest Harrow	<i>Aplasta ononaria</i>
	Sandhill Dot	<i>Stigmella zelleriella</i>
	Sea Holly Brown	<i>Agonopterix cnicella</i>
	Sea Spurge Tortrix	<i>Acroclita subsequana</i>
	Seathorn Spinner	<i>Gelechia hippophaella</i>
	Silver Barred	<i>Deltote bankiana</i>
	Silver-striped Straw	<i>Aethes margaritana</i>
	White-line Dart	<i>Euxoa tritici</i>
	White-marked Bugloss Moth	<i>Tinagma balteolella</i>
Reptiles	Sand Lizard	<i>Lacerta agilis</i>
Spiders	Golden Lantern-spider	<i>Agroeca cuprea</i>
	Heath Grasper	<i>Haplodrassus dalmatensis</i>
	Sand Running-spider	<i>Rhysodromus fallax</i>
		<i>Agroeca lusatica</i>
		<i>Clubiona frisia</i>
		<i>Clubiona pseudoneglecta</i>
		<i>Enoplognatha oelandica</i>
		<i>Trichopterna cito</i>
True bugs	Breckland Leatherbug	<i>Arenocoris waltlii</i>
	Greater Streaked Shieldbug	<i>Odontoscelis fuliginosa</i>
	Large Dune Leafhopper	<i>Doratura impudica</i>

		<i>Monosynnum maritimum</i>
		<i>Ortholomus punctipennis</i>
		<i>Pionosomus varius</i>
		<i>Prostemma guttula</i>
Vascular plants	Adder's-tongue	<i>Ophioglossum vulgatum</i>
	Bedstraw Broomrape	<i>Orobanche caryophyllacea</i>
	Blue Fleabane	<i>Erigeron acris</i>
	Bulbous Meadow-grass	<i>Poa bulbosa</i>
	Bur Medick	<i>Medicago minima</i>
	Burnet Rose	<i>Rosa spinosissima</i>
	Carlina Thistle	<i>Carlina vulgaris</i>
	Clustered Clover	<i>Trifolium glomeratum</i>
	Common Restharrow	<i>Ononis repens</i>
	Common Sedge	<i>Carex nigra</i>
	Common Twayblade	<i>Neottia ovata</i>
	Creeping Willow	<i>Salix repens</i>
	Crested Hair-grass	<i>Koeleria macrantha</i>
	Deptford Pink	<i>Dianthus armeria</i>
	Dune Fescue	<i>Vulpia fasciculata</i>
	Early Forget-me-not	<i>Myosotis ramosissima</i>
	Early Hair-grass	<i>Aira praecox</i>
	Field Mouse-ear	<i>Cerastium arvense</i>
	Greater Sea-spurrey	<i>Spergularia media</i>
	Green-winged Orchid	<i>Anacamptis morio</i>
	Hare's-foot Clover	<i>Trifolium arvense</i>
	Heath Dog-violet	<i>Viola canina</i>
	Heath Groundsel	<i>Senecio sylvaticus</i>
	Hound's-tongue	<i>Cynoglossum officinale</i>
	Lady's Bedstraw	<i>Galium verum</i>
	Lesser Centaury	<i>Centaureum pulchellum</i>
	Lizard Orchid	<i>Himantoglossum hircinum</i>
	Marram	<i>Ammophila arenaria</i>
	Marsh Horsetail	<i>Equisetum palustre</i>
	Marsh Pennywort	<i>Hydrocotyle vulgaris</i>
	Narrow-leaved Vetch	<i>Vicia sativa subsp. nigra</i>
	Pyramidal Orchid	<i>Anacamptis pyramidalis</i>
	Quaking-grass	<i>Briza media</i>
	Rough Clover	<i>Trifolium scabrum</i>
	Saltwort	<i>Salsola kali</i>
	Sand Catchfly	<i>Silene conica</i>
	Sand Cat's-tail	<i>Phleum arenarium</i>
	Sand Couch	<i>Elytrigia juncea</i>
	Sand Sedge	<i>Carex arenaria</i>
	Sea Bindweed	<i>Calystegia soldanella</i>

	Sea Fern-grass	<i>Catapodium marinum</i>
	Sea Mouse-ear	<i>Cerastium diffusum</i>
	Sea Rocket	<i>Cakile maritima</i>
	Sea Sandwort	<i>Honckenya peploides</i>
	Sea Spurge	<i>Euphorbia paralias</i>
	Sea-holly	<i>Eryngium maritimum</i>
	Sheep's-fescue	<i>Festuca ovina</i>
	Silver Hair-grass	<i>Aira caryophyllea</i>
	Smooth Cat's-ear	<i>Hypochaeris glabra</i>
	Spring Vetch	<i>Vicia lathyroides</i>
	Stinking Goosefoot	<i>Chenopodium vulvaria</i>
	Subterranean Clover	<i>Trifolium subterraneum</i>
	Suffocated Clover	<i>Trifolium suffocatum</i>
	Toothed Medick	<i>Medicago polymorpha</i>
	Upright Brome	<i>Bromopsis erecta</i>
	Upright Chickweed	<i>Moenchia erecta</i>
	Wild Clary	<i>Salvia verbenaca</i>
	Yellow-rattle	<i>Rhinanthus minor</i>
	Yellow-wort	<i>Blackstonia perfoliata</i>